

ASME B18.2.5M-2009

Metric 12-Point Flange Screws

AN AMERICAN NATIONAL STANDARD



**The American Society of
Mechanical Engineers**



CONTENTS

Foreword	v
Committee Roster	vi
Correspondence With the B18 Committee	vii
1 Scope	1
2 Comparison With ISO Standards	1
3 Referenced Standards	1
4 Terminology	1
5 Dimensions	1
6 Top of Head	1
7 Head Height	1
8 Wrenching Height	2
9 Gaging of 12-Point Flange Head	2
10 Position of Head	2
11 Flange	2
12 Bearing Surface	2
13 Fillet	2
14 Body Diameter	2
15 Length	2
16 Points	2
17 Straightness	2
18 Threads	5
19 Thread Length	5
20 Materials and Mechanical Properties	9
21 Identification Symbols	9
22 Finish	9
23 Workmanship	9
24 Inspection and Quality Assurance	9
25 Dimensional Conformance	10
26 Clearance Holes	10
27 Designation	10
Tables	
1 Dimensions of 12-Point Flange Screws	3
2 Gaging of 12-Point Flange Head	4
3 Tolerance Zones	4
4 Dimensions of Type F Underhead Fillets	5

5	Dimensions of Type U Underhead Fillets	6
6	Dimensions of Reduced Body Diameter (Type R)	7
7	Length Tolerances, L , mm	7
8	Dimensions of Points	7
9	Maximum Grip Lengths, L_G , and Minimum Body Lengths, L_s	8
10	Thread Lengths	9