

CONTENTS

Foreword	xv
Statements of Policy	xvii
Personnel	xix
Organization of Section III	xxxi
Summary of Changes	xxxiii
List of Changes in BC Order	xxxiv
Article NC-1000	
Introduction	1
NC-1100	1
NC-1120	1
NC-1130	1
Figures	
NC-1132.2-1	3
NC-1132.2-2	4
NC-1132.2-3	5
Article NC-2000	
Material	6
NC-2100	6
NC-2110	6
NC-2120	6
NC-2130	8
NC-2140	8
NC-2150	8
NC-2160	8
NC-2170	8
NC-2180	9
NC-2190	9
NC-2200	9
NC-2210	9
NC-2220	10
NC-2300	12
NC-2310	12
NC-2320	13
NC-2330	13
NC-2340	14
NC-2350	15
NC-2360	16
NC-2400	16
NC-2410	16
NC-2420	16

NC-2430	Weld Metal Tests	17
NC-2440	Storage and Handling of Welding Material.....	20
NC-2500	Examination and Repair of Pressure Retaining Material	20
NC-2510	Pressure Retaining Material	20
NC-2530	Examination and Repair of Plate	21
NC-2540	Examination and Repair of Forgings and Bars.....	21
NC-2550	Examination and Repair of Seamless and Welded (Without Filler Metal) Tubular Products and Fittings.....	23
NC-2560	Examination and Repair of Tubular Products and Fittings Welded With Filler Metal	25
NC-2570	Examination and Repair of Statically and Centrifugally Cast Products.....	25
NC-2580	Examination of Bolts, Studs, and Nuts.....	32
NC-2600	Material Organizations' Quality System Programs	32
NC-2610	Documentation and Maintenance of Quality System Programs	32
NC-2700	Dimensional Standards	33
 Figures		
NC-2433.1-1	Weld Metal Delta Ferrite Content.....	20
NC-2575.2-1	Typical Pressure Retaining Parts of Pumps and Valves.....	29
 Tables		
NC-2311(a)-1	Exemptions From Impact Testing Under NC-2311(a)(8).....	12
NC-2332.1-1	Required C _v Lateral Expansion Values for Pressure Retaining Material Other Than Bolting	14
NC-2332.1-2	Required C _v Energy Values for Pressure Retaining Material Other Than Bolting.....	15
NC-2332.3-1	Required C _v Values for Bolting Material Tested in Accordance With NC-2332.3	15
NC-2432.1-1	Sampling of Welding Materials for Chemical Analysis	19
NC-2432.2-1	Welding Material Chemical Analysis	19
NC-2571-1	Required Examinations.....	26
 Article NC-3000		
	Design	34
NC-3100	General Design.....	34
NC-3110	Loading Criteria.....	34
NC-3120	Special Considerations	35
NC-3130	General Design Rules.....	35
NC-3200	Alternative Design Rules for Vessels	40
NC-3210	General Requirements.....	40
NC-3220	Design Considerations	48
NC-3230	Openings and Their Reinforcement.....	58
NC-3240	Vessels Under External Pressure	67
NC-3250	Welded Joints.....	69
NC-3260	Special Vessel Requirements	71
NC-3300	Vessel Design.....	73
NC-3310	General Requirements.....	73
NC-3320	Design Considerations	73
NC-3330	Openings and Reinforcement	88
NC-3350	Design of Welded Construction	95
NC-3360	Special Vessel Requirements	101
NC-3400	Pump Design	103
NC-3410	General Requirements for Centrifugal Pumps.....	103
NC-3420	Definitions.....	105

NC-3430	Design Requirements for Centrifugal Pumps	105
NC-3440	Design of Specific Pump Types	107
NC-3450	Design of Class 2 Reciprocating Pumps	118
NC-3500	Valve Design	120
NC-3510	General Requirements	120
NC-3520	Levels B, C, and D Service Limits	123
NC-3530	General Rules	123
NC-3590	Pressure Relief Valve Design	125
NC-3600	Piping Design	129
NC-3610	General Requirements	129
NC-3620	Design Considerations	132
NC-3640	Pressure Design of Piping Products	134
NC-3650	Analysis of Piping Designs	149
NC-3660	Design of Welds	154
NC-3670	Special Piping Requirements	154
NC-3690	Dimensional Requirements for Piping Products	163
NC-3700	Electrical and Mechanical Penetration Assemblies	163
NC-3720	Design Rules	163
NC-3800	Design of Atmospheric Storage Tanks	163
NC-3810	General Requirements	163
NC-3820	Design Considerations	164
NC-3830	Bottom Design	165
NC-3840	Shell Design	165
NC-3850	Roof Design	165
NC-3860	Tank Connections and Appurtenances	169
NC-3900	Zero psi to 15 psi (0 kPa to 100 kPa) Storage Tank Design	174
NC-3910	General Requirements	174
NC-3920	Design Considerations	174
NC-3930	Design Procedure	179

Figures

NC-3133.8-1	Chart for Determining Wall Thickness of Tubes Under External Pressure	41
NC-3224.6-1	Design Curves for Torispherical Heads and 2:1 Ellipsoidal Heads for Use With NC-3224.8 and NC-3224.6	50
NC-3224.13(b)(6)(a)-1	Inherent Reinforcement for Large End of Cone-Cylinder Junction	53
NC-3224.13(b)(6)(b)-1	Values for Q for Large End of Cone-Cylinder Junction	54
NC-3224.13(c)(6)(a)-1	Inherent Reinforcement for Small End of Cone-Cylinder Junction	55
NC-3224.13(c)(6)(b)-1	Values for Q for Small End of Cone-Cylinder Junction	56
NC-3224.13(d)-1	Cone-Cylinder Junction at Small End Treated as Opening	57
NC-3225-1	Typical Flat Heads and Supported and Unsupported Tubesheets With Hubs	59
NC-3225-2	Some Acceptable Types of Unstayed Flat Heads and Covers	60
NC-3225-3	Attachment of Pressure Parts to Plates to Form a Corner Joint	61
NC-3234.2(a)-1	Nozzle Nomenclature and Dimensions	64
NC-3239.1(b)-1	Examples of Acceptable Transition Details	66
NC-3239.4-1	Limits of Reinforcing Zone	67
NC-3324.2-1	Principal Dimensions of Typical Heads	77
NC-3324.11(a)(6)-1	Large Head Openings, Reverse Curve, and Conical Shell Reducer Sections	81
NC-3325-1	Some Acceptable Types of Unstayed Flat Heads and Covers	83
NC-3326.1-1	Spherically Dished Covers With Bolting Flanges	85
NC-3329(b)-1	Example of Tube Spacing With Pitch of Holes Equal in Every Row	87

NC-3329(b)-2	Example of Tube Spacing With Pitch of Holes Unequal in Every Second Row	87
NC-3329(b)-3	Example of Tube Spacing With Pitch Holes Varying in Every Second and Third Row	88
NC-3329(d)-1	Example of Tube Spacing With Tube Holes on Diagonal Lines	88
NC-3329(d)-2	Diagram for Determining the Efficiency of Longitudinal and Diagonal Ligaments Between Openings in Cylindrical Shells	89
NC-3329(g)-1	Diagram for Determining Equivalent Longitudinal Efficiency of Diagonal Ligaments	90
NC-3332.2-1	Chart for Determining the Value of F	91
NC-3335(b)-1	Some Representative Configurations Describing the t_e Reinforcement Dimension	94
NC-3335.2-1	Arrangement of Multiple Openings	95
NC-3335.3(b)-1	Minimum Depth for Flange of Flued Openings	95
NC-3351-1	Welded Joint Locations Typical of Categories A, B, C, and D	96
NC-3352-1	Typical Butt Joints	97
NC-3358.1(a)-1	Heads Attached to Shells	99
NC-3361-1	Butt Welding of Sections of Unequal Thicknesses	102
NC-3423-1	Typical Single Volute Casing	105
NC-3423-2	Typical Double Volute Casing	105
NC-3433.4-1	Minimum Tangential Inlet and Outlet Wall Thickness	106
NC-3441.1-1	Type A Pump	107
NC-3441.1-2	Type A Pump	107
NC-3441.1(a)-1	Type A Pump	108
NC-3441.2-1	Type B Pump	108
NC-3441.3-1	Type C Pump	108
NC-3441.3-2	Type C Pump	110
NC-3441.4(a)-1	Type D Pump	111
NC-3441.5-1	Type E Pump	111
NC-3441.6(a)-1	Type F Pump	111
NC-3441.7(a)-1	Axially Split Casing, Volute Pump, Type G	111
NC-3441.7(a)-2	Axially Split Casing, Volute Pump, Type G	111
NC-3441.7(c)-1	Axially Split Casing, Volute Pump, Type G	112
NC-3441.7(c)(2)-1	Typical Section of Type G Pumps	113
NC-3441.7(c)(2)-2	Typical Section of Type G Pumps	113
NC-3441.7(c)(2)-3	Typical Loads on Type G Pumps	113
NC-3441.8-1	Longitudinal Section Through Type H Pump	115
NC-3441.8-2	Transverse Section Through Type H Pump	115
NC-3441.9-1	Type K Pump	116
NC-3441.9-2	Type K Pump	117
NC-3441.10-1	Type N Pump	119
NC-3451(a)-1	Horizontal Single-Acting Power Pump Liquid Ends	121
NC-3521-1	Typical Sections of Valve Bodies	124
NC-3591.1-1	Typical Pressure Relief Devices	126
NC-3591.1-2	Typical Pressure Relief Devices	127
NC-3595.3-1	Valve Nozzle	129
NC-3622-1	Examples of Reversing and Nonreversing Dynamic Loads	133
NC-3643.2(b)-1	Typical Welded Branch Connections	137
NC-3643.2(b)-2	Typical Right Angle Branch Connections Made Using a Fillet Weld or a Partial Penetration Weld	138
NC-3643.3(c)(1)-1	Reinforcement of Branch Connections	139
NC-3643.3(c)(1)-2	Some Representative Configurations Describing the t_e Reinforcement Dimensions	140
NC-3643.4(a)-1	Reinforced Extruded Outlets	143

NC-3647.2-1	Types of Permanent Blanks	145
NC-3653.3-1	Reducing or Full Outlet Branch Connections or Tees	151
NC-3673.2(b)-1	Stress Indices, Flexibility, and Stress Intensification Factors	157
NC-3673.2(b)-2	Branch Connection Nomenclature	161
NC-3861-1	Roof Manholes	170
NC-3862(a)-1	Flanged Roof Nozzles	171
NC-3862(a)-2	Screwed or Socket Weld Roof Nozzles	171
NC-3863-1	Typical Welded Bottom Outlet Elbow	172
NC-3922.1-1	Biaxial Stress Chart for Combined Tension and Compression, 30,000 psi to 38,000 psi (205 MPa to 260 MPa) Yield Strength Steels	176
NC-3922.1-2	Reduction of Design Stresses Required to Allow for Biaxial Stresses of Opposite Sign	177
NC-3932.1-1	Some Typical Free Body Diagrams for Certain Shapes of Tanks	184
NC-3933.4(a)-1	Compression Ring Region	188
NC-3933.5(d)-1	Permissible Details of Compression Ring	190
 Tables		
NC-3132-1	Dimensional Standards	36
NC-3215.1(a)-1	Pressure and Temperature Relationships	43
NC-3217-1	Stress Intensity k Factors for Design and Service Load Combinations	44
NC-3239.3(a)-1	Required Minimum Reinforcing Area, A_r	66
NC-3239.7-1	Stress Indices for Internal Pressure Loading	67
NC-3266-1	Minimum Number of Pipe Threads for Connections	73
NC-3321-1	Stress Limits for Design and Service Loadings	74
NC-3321-2	Classification of Stress Intensity in Vessels for Some Typical Cases	75
NC-3324.2-1	Values of Factor K	76
NC-3324.8(b)-1	Values of Factor M	80
NC-3324.11(b)(2)-1	Values of Δ for Junctions at the Large Cylinder for $\alpha \leq 30$ deg.	80
NC-3324.11(b)(3)-1	Values of Δ for Junctions at the Small Cylinder for $\alpha \leq 30$ deg.	80
NC-3332.2-1	Values of Spherical Radius Factor K_1	91
NC-3416-1	Stress and Pressure Limits for Design and Service Loadings	104
NC-3521-1	Levels A, B, C, and D Service Limits	125
NC-3592.2(b)-1	Class 2 Pressure Relief Devices: Levels B, C, and D Service Loadings	128
NC-3611.2(e)-1	Stress Range Reduction Factors	130
NC-3641.1(a)-1	Values of A	135
NC-3642.1(c)-1	Minimum Thickness for Bending	135
NC-3821.5-1	Design and Service Limits	164
NC-3861-1	Roof Manholes	170
NC-3862(a)-1	Flanged Roof Nozzles	171
NC-3862(a)-2	Screwed or Socket Weld Roof Nozzles	172
NC-3863-1	Welded Bottom Outlet Elbow	173
NC-3865-1	Platforms and Walkways	173
NC-3865-2	Stairways	173
NC-3865-3	Stairway Rise, Run, and Angle Relationships	174
NC-3921.6-1	Design and Service Limits for Steel Tanks	175
NC-3923.1-1	Maximum Allowable Stress Values for Structural Members	180
NC-3932.2(d)-1	Factors for Determining Values of R_1 and R_2 for 2:1 Ellipsoidal Roofs and Bottoms	185
 Article NC-4000	 Fabrication and Installation	 191
NC-4100	General Requirements	191
NC-4110	Introduction	191

NC-4120	Certification of Materials and Fabrication by Component Certificate Holder	191
NC-4130	Repair of Material	192
NC-4200	Forming, Cutting, and Aligning	192
NC-4210	Cutting, Forming, and Bending	192
NC-4220	Forming Tolerances	193
NC-4230	Fitting and Aligning	196
NC-4240	Requirements for Weld Joints in Components	197
NC-4250	Welding End Transitions — Maximum Envelope	213
NC-4260	Special Requirements for Weld Joints in Vessels Designed to NC-3200	213
NC-4300	Welding Qualifications	220
NC-4310	General Requirements	220
NC-4320	Welding Qualifications, Records, and Identifying Stamps	222
NC-4330	General Requirements for Welding Procedure Qualification Tests	223
NC-4350	Special Qualification Requirements for Tube-to-Tubesheet Welds	226
NC-4360	Qualification Requirements for Welding Specially Designed Welded Seals	226
NC-4400	Rules Governing Making, Examining, and Repairing Welds	227
NC-4410	Precautions to Be Taken Before Welding	227
NC-4420	Rules for Making Welded Joints	227
NC-4430	Welding of Attachments	229
NC-4450	Repair of Weld Metal Defects	232
NC-4500	Brazing	233
NC-4510	Rules for Brazing	233
NC-4520	Brazing Qualification Requirements	233
NC-4530	Fitting and Aligning of Parts to Be Brazed	235
NC-4540	Examination of Brazed Joints	235
NC-4600	Heat Treatment	235
NC-4610	Welding Preheat Requirements	235
NC-4620	Postweld Heat Treatment	235
NC-4630	Heat Treatment of Welds Other Than the Final Postweld Heat Treatment	241
NC-4650	Heat Treatment After Bending or Forming for Pipe, Pumps, and Valves	241
NC-4660	Heat Treatment of Electroslag Welds	241
NC-4700	Mechanical Joints	241
NC-4710	Bolting and Threading	241
NC-4720	Bolting Flanged Joints	242
NC-4730	Electrical and Mechanical Penetration Assemblies	242
NC-4800	Expansion Joints	243
NC-4810	Fabrication and Installation Rules for Bellows Expansion Joints	243
Figures		
NC-4221.1-1	Maximum Difference in Cross-Sectional Diameters	194
NC-4221.2(a)-1	Maximum Permissible Deviation e From a True Circular Form	195
NC-4221.2(a)-2	Maximum Arc Length for Determining Plus or Minus Deviation	196
NC-4233-1	Butt Weld Alignment and Mismatch Tolerances for Unequal I.D. and O.D. When Components Are Welded From One Side and Fairing Is Not Performed	198
NC-4243-1	Acceptable Full Penetration Weld Details for Category C Joints	199
NC-4243-2	Attachment of Pressure Parts to Plates to Form a Corner Joint	200
NC-4243.1-1	Typical Flat Heads and Supported and Unsupported Tubesheet With Hubs	202

NC-4244(a)-1	Nozzles, Branch, and Piping Connections Joined by Full Penetration Butt Welds	203
NC-4244(b)-1	Nozzles, Branch, and Piping Connections Joined by Full Penetration Corner Welds	204
NC-4244(c)-1	Deposited Weld Metal Used as Reinforcement of Openings for Nozzles, Branch, and Piping Connections	205
NC-4244(d)-1	Some Acceptable Types of Welded Nozzles, Branch, and Piping Connections	206
NC-4244(e)-1	Some Acceptable Types of Welded Nozzles	207
NC-4244(e)-2	Some Acceptable Types of Small Fittings	208
NC-4246.1(a)-1	Typical Bottom and Bottom-to-Shell Joints	209
NC-4246.3-1	Typical Roof and Roof-to-Shell Joints	210
NC-4246.5-1	Roof Manholes	211
NC-4246.5-2	Flanged Roof Nozzles	212
NC-4246.5-3	Screwed or Socket Weld Roof Nozzles	212
NC-4246.5-4	Welded Bottom Outlet Elbow	213
NC-4250-1	Welding End Transitions Maximum Envelope	214
NC-4265-1	Acceptable Full Penetration Details to Form a Corner Joint	216
NC-4265-2	Acceptable Full Penetration Weld Details for Category C Joints	217
NC-4266(a)-1	Nozzles Attached by Full Penetration Butt Welds	217
NC-4266(b)-1	Full Penetration Corner Welded Attachments	218
NC-4266(c)-1	Pad and Screwed Fitting Types of Welded Nozzles and Other Connections to Shells, Drums, and Headers	219
NC-4266(d)-1	Partial Penetration Weld Connections	220
NC-4267-1	Attachments	221
NC-4427-1	Fillet and Socket Weld Details and Dimensions	230
NC-4433-1	Types of Attachment Welds	231
NC-4437.2(b)-1	Some Acceptable Methods of Attaching Stiffening Rings to Shells of Cylindrical Vessels Subjected to External Pressure	232
NC-4511-1	Brazed Connections for Appurtenances and Piping	234
NC-4730-1	Penetration Assembly	242
NC-4810(c)-1	Permissible Attachment Welds for Bellows	242
 Tables		
NC-4232(a)-1	Maximum Allowable Offset in Final Welded Joints	197
NC-4247.6(d)-1	Minimum Size for Fillet Welds	213
NC-4524-1	Maximum Design Temperatures for Brazing Filler Metal, °F (°C)	235
NC-4622.1-1	Mandatory Requirements for Postweld Heat Treatment of Welds	237
NC-4622.4(c)-1	Alternative Holding Temperatures and Times	238
NC-4622.7(b)-1	Exemptions to Mandatory PWHT	239
 Article NC-5000		
	Examination	244
NC-5100	General Requirements for Examination	244
NC-5110	Procedure, Qualification, and Evaluation	244
NC-5120	Time of Examination of Welds and Weld Metal Cladding	244
NC-5130	Examination of Weld Edge Preparation Surfaces	245
NC-5140	Examination of Openings Cut in Vessels Designed to NC-3200	246
NC-5200	Examination of Welds	246
NC-5210	Category A Vessel Welded Joints and Longitudinal Welded Joints in Piping, Pumps, and Valves	246
NC-5220	Category B Vessel Welded Joints and Circumferential Welded Joints in Piping, Pumps, and Valves	246
NC-5230	Category C Vessel Welded Joints and Similar Welded Joints in Other Components	246

NC-5240	Category D Vessel Welded Joints and Similar Welded Joints in Other Components	246
NC-5250	Examination of Welds for Vessels Designed to NC-3200.....	247
NC-5260	Fillet, Partial Penetration, Socket, and Attachment Welds.....	247
NC-5270	Special Welds.....	247
NC-5280	Weld Joints in Storage Tanks.....	248
NC-5300	Acceptance Standards.....	249
NC-5320	Radiographic Acceptance Standards	249
NC-5330	Ultrasonic Acceptance Standards.....	249
NC-5340	Magnetic Particle Acceptance Standards	249
NC-5350	Liquid Penetrant Acceptance Standards.....	249
NC-5360	Visual Acceptance Standards for Brazed Joints.....	250
NC-5380	Gas and Bubble Formation Testing.....	250
NC-5400	Final Examination of Components	250
NC-5410	Examination After Pressure Testing	250
NC-5500	Qualifications and Certification of Nondestructive Examination Personnel.....	250
NC-5510	General Requirements.....	250
NC-5520	Personnel Qualification, Certification, and Verification	250
NC-5530	Records	251
NC-5700	Examination Requirements for Expansion Joints.....	251
NC-5720	Bellows Expansion Joints	251

Table

NC-5111-1	Thickness, Penetrameter Designations, and Essential Holes, and Wire Diameters	245
-----------	--	-----

Article NC-6000

	Testing.....	253
NC-6100	General Requirements.....	253
NC-6110	Pressure Testing of Components, Appurtenances, and Systems.....	253
NC-6120	Preparation for Testing.....	254
NC-6200	Hydrostatic Tests.....	255
NC-6210	Hydrostatic Test Procedure	255
NC-6220	Hydrostatic Test Pressure Requirements	255
NC-6230	Bellows Expansion Joints	255
NC-6240	Provision for Embedded or Inaccessible Welded Joints in Piping.....	256
NC-6300	Pneumatic Tests.....	256
NC-6310	Pneumatic Testing Procedures	256
NC-6320	Pneumatic Test Pressure Requirements	256
NC-6330	Bellows Expansion Joints	256
NC-6400	Pressure Test Gages	257
NC-6410	Requirements for Pressure Test Gages.....	257
NC-6500	Atmospheric and 0 psi to 15 psi (0 kPa to 100 kPa) Storage Tanks.....	257
NC-6510	Testing of Atmospheric Storage Tanks	257
NC-6520	Testing of 0 psi to 15 psi (0 kPa to 100 kPa) Storage Tanks.....	257
NC-6530	Test Gages.....	258
NC-6600	Special Test Pressure Situations.....	259
NC-6610	Components Designed for External Pressure	259
NC-6620	Pressure Testing of Combination Units	259
NC-6900	Proof Tests to Establish Design Pressure.....	259
NC-6910	General Requirements.....	259
NC-6920	Procedures.....	261
NC-6930	Procedure for Components Having Chambers of Special Shape Subject to Collapse.....	263

Article NC-7000	Overpressure Protection	264
NC-7100	General Requirements.	264
NC-7110	Scope	264
NC-7120	Integrated Overpressure Protection	264
NC-7130	Verification of the Operation of Reclosing Pressure Relief Devices	264
NC-7140	Installation.	264
NC-7150	Acceptable Pressure Relief Devices	265
NC-7160	Unacceptable Pressure Relief Devices	265
NC-7170	Permitted Use of Pressure Relief Devices	265
NC-7200	Overpressure Protection Report	266
NC-7210	Responsibility for Report.	266
NC-7220	Content of Report	266
NC-7230	Certification of Report	267
NC-7240	Review of Report After Installation	267
NC-7250	Filing of Report	267
NC-7300	Relieving Capacity Requirements	267
NC-7310	Expected System Pressure Transient Conditions	267
NC-7320	Unexpected System Excess Pressure Transient Conditions	268
NC-7330	System Faulted Conditions	268
NC-7400	Set Pressures of Pressure Relief Devices	268
NC-7410	Set Pressure Limitations for Expected System Pressure Transient Conditions.	268
NC-7420	Set Pressure Limitation for Unexpected System Excess Pressure Transient Conditions.	268
NC-7500	Operating and Design Requirements for Pressure and Vacuum Relief Valves	269
NC-7510	Safety, Safety Relief, and Relief Valves	269
NC-7520	Pilot Operated Pressure Relief Valves	270
NC-7530	Power Actuated Pressure Relief Valves.	271
NC-7540	Safety Valves With Auxiliary Actuating Devices	272
NC-7550	Vacuum Relief Valves	273
NC-7560	Alternative Test Media.	273
NC-7600	Nonreclosing Pressure Relief Devices	273
NC-7610	Rupture Disk Devices.	273
NC-7620	Installation Requirements.	274
NC-7700	Certification.	275
NC-7710	Responsibility for Certification of Pressure and Vacuum Relief Valves	275
NC-7720	Responsibility for Certification of Nonreclosing Pressure Relief Devices	275
NC-7730	Capacity Certification of Pressure Relief Valves — Compressible Fluids.	275
NC-7740	Capacity Certification of Pressure Relief Valves — Incompressible Fluids.	279
NC-7750	Capacity Certification of Vacuum Relief Valves.	281
NC-7760	Capacity Determination of Rupture Disk Devices	284
NC-7800	Marking, Stamping, and Data Reports	285
NC-7810	Pressure and Vacuum Relief Valves	285
NC-7820	Rupture Disk Devices.	286
NC-7830	Pressure Relief Valve in Combination With Rupture Disk Devices	286
NC-7840	Certificate of Authorization to Use Code Symbol Stamp.	286

Figures

NC-7734.2(a)-1	Values of F for Nonchoking Flow	278
NC-7754.2(a)-1	Values of F for Nonchoking Flow	283

Article NC-8000

NC-8100	Nameplates, Stamping, and Reports	287
	General Requirements	287