

AN INTERNATIONAL CODE

# 2007 ASME Boiler & Pressure Vessel Code

2007 Edition

July 1, 2007

## III

**Division 1 – Subsection ND**

**Class 3 Components**

**RULES FOR CONSTRUCTION  
OF NUCLEAR FACILITY  
COMPONENTS**

ASME Boiler and Pressure Vessel Committee  
Subcommittee on Nuclear Power



The American Society of  
Mechanical Engineers

ASME  
SETTING THE STANDARD

# CONTENTS

Foreword .....	xv
Statements of Policy .....	xvii
Personnel .....	xix
Organization of Section III .....	xxxi
Summary of Changes .....	xxxiii
List of Changes in BC Order .....	xxxiv
<b>Article ND-1000</b>	
<b>Introduction</b> .....	1
ND-1100	1
ND-1130	1
<b>Figures</b>	
ND-1132.2-1	3
ND-1132.2-2	4
ND-1132.2-3	5
<b>Article ND-2000</b>	
<b>Material</b> .....	6
ND-2100	6
ND-2110	6
ND-2120	6
ND-2130	8
ND-2140	8
ND-2150	8
ND-2160	8
ND-2170	8
ND-2180	8
ND-2190	9
ND-2200	9
ND-2210	9
ND-2220	10
ND-2300	12
ND-2310	12
ND-2320	13
ND-2330	13
ND-2340	14
ND-2350	15
ND-2360	16
ND-2400	16
ND-2410	16
ND-2420	16
ND-2430	17
ND-2440	20

ND-2500	Examination and Repair of Pressure Retaining Material .....	20
ND-2510	Pressure Retaining Material .....	20
ND-2530	Examination and Repair of Plate .....	21
ND-2540	Examination and Repair of Forgings and Bars .....	21
ND-2550	Examination and Repair of Seamless and Welded (Without Filler Metal) Tubular Products and Fittings .....	23
ND-2560	Examination and Repair of Tubular Products and Fittings Welded With Filler Metal .....	23
ND-2570	Examination and Repair of Statically and Centrifugally Cast Products .....	24
ND-2580	Examination of Bolts, Studs, and Nuts .....	31
ND-2600	Material Organizations' Quality System Programs .....	31
ND-2610	Documentation and Maintenance of Quality System Programs .....	31
ND-2700	Dimensional Standards .....	31
 <b>Figures</b>		
ND-2433.1-1	Delta Ferrite Content .....	20
ND-2575.2-1	Typical Pressure Retaining Parts of Pumps and Valves .....	28
 <b>Tables</b>		
ND-2311-1	Exemptions From Impact Testing Under ND-2311(a)(8) .....	13
ND-2331(a)-1	Required C <sub>v</sub> Lateral Expansion Values for Pressure Retaining Material (Except Bolting) .....	14
ND-2331(a)-2	Required C <sub>v</sub> Energy Values for Pressure Retaining Material (Except Bolting) .....	15
ND-2333-1	Required C <sub>v</sub> Values for Bolting Material .....	15
ND-2432.1-1	Sampling of Welding Materials for Chemical Analysis .....	19
ND-2432.2-1	Welding Material Chemical Analysis .....	19
ND-2571-1	Required Examinations .....	25
 <b>Article ND-3000</b>		
	<b>Design</b> .....	32
ND-3100	General Design .....	32
ND-3110	Loading Criteria .....	32
ND-3120	Special Considerations .....	33
ND-3130	General Design Rules .....	33
ND-3300	Vessel Design .....	40
ND-3310	General Requirements .....	40
ND-3320	Design Considerations .....	40
ND-3330	Openings and Reinforcement .....	59
ND-3350	Design of Welded Construction .....	67
ND-3360	Special Vessel Requirements .....	74
ND-3400	Pump Design .....	77
ND-3410	General Requirements for Centrifugal Pumps .....	77
ND-3420	Definitions .....	78
ND-3430	Design Requirements for Centrifugal Pumps .....	79
ND-3440	Design of Specific Pump Types .....	80
ND-3450	Design of Class 3 Reciprocating Pumps .....	97
ND-3500	Valve Design .....	97
ND-3510	General Requirements .....	97
ND-3520	Levels B, C, and D Service Limits .....	100
ND-3530	General Rules .....	102
ND-3590	Pressure Relief Valve Design .....	102
ND-3600	Piping Design .....	107
ND-3610	General Requirements .....	107

ND-3620	Design Considerations .....	109
ND-3640	Pressure Design of Piping Products .....	110
ND-3650	Analysis of Piping Systems .....	126
ND-3660	Design of Welds .....	131
ND-3670	Special Piping Requirements .....	131
ND-3690	Dimensional Requirements for Piping Products .....	141
ND-3700	Electrical and Mechanical Penetration Assemblies .....	141
ND-3720	Design Rules .....	141
ND-3800	Design of Atmospheric Storage Tanks .....	141
ND-3810	General Requirements .....	141
ND-3820	Design Considerations .....	141
ND-3830	Bottom Design .....	142
ND-3840	Shell Design .....	142
ND-3850	Roof Design .....	143
ND-3860	Tank Connections and Appurtenances .....	154
ND-3900	Design of 0 psi to 15 psi (0 kPa to 100 kPa) Storage Tanks .....	156
ND-3910	General Requirements .....	156
ND-3920	Design Considerations .....	157
ND-3930	Design Procedure .....	165

**Figures**

ND-3133.4-1	Length $L$ of Some Typical Conical Sections .....	39
ND-3133.7-1	Chart for Determining Wall Thickness of Tubes Under External Pressure .....	41
ND-3324.2-1	Principal Dimensions of Typical Heads .....	45
ND-3324.11(a)(6)-1	Large Head Openings, Reverse Curve, and Conical Shell Reducer Sections .....	49
ND-3325-1	Some Acceptable Types of Unstayed Flat Heads and Covers .....	51
ND-3326.1-1	Spherically Dished Covers With Bolting Flanges .....	55
ND-3329.1(e)-1	Acceptable Proportions for Ends or Through Stays .....	57
ND-3329.6(b)-1	Example of Tube Spacing With Pitch of Holes Equal in Every Row .....	58
ND-3329.6(b)-2	Example of Tube Spacing With Pitch of Holes Unequal in Every Second Row .....	58
ND-3329.6(b)-3	Example of Tube Spacing With Pitch of Holes Varying in Every Second and Third Row .....	58
ND-3329.6(d)-1	Example of Tube Spacing With Tube Holes on Diagonal Lines .....	59
ND-3329.6(d)-2	Diagram for Determining the Efficiency of Longitudinal and Diagonal Ligaments Between Openings in Cylindrical Shells .....	60
ND-3329.6(g)-1	Diagram for Determining Equivalent Longitudinal Efficiency of Diagonal Ligaments .....	61
ND-3332.2-1	Chart for Determining Value of $F$ .....	62
ND-3335.1(b)-1	Some Representative Configurations Describing the $t_e$ Reinforcement Dimension .....	65
ND-3335.2-1	Arrangement of Multiple Openings .....	66
ND-3335.3(b)-1	Minimum Depth for Flange of Flued Openings .....	66
ND-3351-1	Welded Joint Locations Typical of Categories A, B, C, and D .....	67
ND-3352-1	Typical Butt Joints .....	68
ND-3358.1(a)-1	Heads Attached to Shells .....	72
ND-3361.1-1	Butt Welding of Plates of Unequal Thicknesses .....	75
ND-3423-1	Typical Single Volute Casing .....	78
ND-3423-2	Typical Double Volute Casing .....	78
ND-3433.4-1	Minimum Tangential Inlet and Outlet Wall Thicknesses .....	79
ND-3436(c)-1	External and Internal Attachments .....	80
ND-3441.1-1	Type A Pump .....	80

ND-3441.1-2	Type A Pump .....	81
ND-3441.1(a)-1	Type A Pump .....	82
ND-3441.2-1	Type B Pump .....	82
ND-3441.3-1	Type C Pump .....	82
ND-3441.3-2	Type C Pump .....	83
ND-3441.4(a)-1	Type D Pump .....	84
ND-3441.5-1	Type E Pump .....	84
ND-3441.6(a)-1	Type F Pump .....	84
ND-3441.7(a)-1	Axially Split Casing, Volute Pump, Type G .....	84
ND-3441.7(a)-2	Axially Split Casing, Volute Pump, Type G .....	85
ND-3441.7(c)-1	Axially Split Casing, Volute Pump, Type G .....	85
ND-3441.7(c)(2)-1	Typical Section of Type G Pump .....	86
ND-3441.7(c)(2)-2	Typical Section of Type G Pump .....	86
ND-3441.7(c)(2)-3	Typical Loads on Type G Pump .....	86
ND-3441.8-1	Longitudinal Section Through Type H Pump .....	88
ND-3441.8-2	Transverse Section Through Type H Pump .....	88
ND-3441.9-1	Type K Pump .....	89
ND-3441.9-2	Type K Pump .....	90
ND-3441.10-1	Type L Pump .....	93
ND-3441.10-2	Type L Pump Bowl .....	96
ND-3451(a)-1	Horizontal Single-Acting Power Pump Liquid Ends .....	98
ND-3521-1	Typical Sections of Valve Bodies .....	101
ND-3591.1-1	Typical Pressure Relief Devices .....	103
ND-3591.1-2	Typical Pressure Relief Devices .....	104
ND-3595.3-1	Valve Nozzle .....	106
ND-3622-1	Examples of Reversing and Nonreversing Dynamic Loads .....	111
ND-3643.2(b)-1	Typical Welded Branch Connections .....	114
ND-3643.2(b)-2	Typical Right Angle Branch Connections Made Using a Fillet Weld or a Partial Penetration Weld .....	116
ND-3643.3(c)(1)-1	Reinforcement of Branch Connections .....	117
ND-3643.3(c)(1)-2	Some Representative Configurations Describing the $t_e$ Reinforcement Dimension .....	118
ND-3643.4(a)-1	Reinforced Extruded Outlets .....	120
ND-3647.2-1	Types of Permanent Blanks .....	122
ND-3653.3-1	Reducing or Full Outlet Branch Connections, or Tees .....	128
ND-3673.2(b)-1	Stress Indices, Flexibility, and Stress Intensification Factors .....	134
ND-3673.2(b)-2	Branch Connection Nomenclature .....	139
ND-3861-1	Roof Manholes .....	153
ND-3862(a)-1	Flanged Roof Nozzles .....	154
ND-3862(a)-2	Screwed or Socket Weld Roof Nozzles .....	155
ND-3863-1	Welded Bottom Outlet Elbow .....	156
ND-3922.1-1	Biaxial Stress Chart for Combined Tension and Compression, 30,000 psi to 38,000 psi (205 MPa to 260 MPa) Yield Strength Steels .....	160
ND-3922.1-2	Reduction of Design Stresses Required to Allow for Biaxial Stresses of Opposite Sign .....	161
ND-3932.1-1	Some Typical Free Body Diagrams for Certain Shapes of Tanks .....	167
ND-3933.4(a)-1	Compression Ring Region .....	171
ND-3933.5(d)-1	Permissible Details of Compression Ring Construction .....	173

**Tables**

ND-3132-1	Dimensional Standards .....	35
ND-3321-1	Stress Limits for Design and Service Loadings .....	42
ND-3321-2	Classification of Stress in Vessels for Some Typical Cases .....	43

ND-3324.2-1	Values of Factor $K$ .....	45
ND-3324.8(b)-1	Values of Factor $M$ .....	48
ND-3324.11(b)(2)-1	Values of $\Delta$ for Junctions at the Large Cylinder for $\alpha \leq 30$ deg. ....	49
ND-3324.11(b)(3)-1	Values of $\Delta$ for Junctions at the Small Cylinder for $\alpha \leq 30$ deg. ....	49
ND-3332.2-1	Values of Spherical Radius Factor $K_1$ .....	63
ND-3361.3(a)-1	Minimum Number of Pipe Threads for Connections .....	75
ND-3416-1	Stress and Pressure Limits for Design and Service Loadings .....	78
ND-3521-1	Level A, Level B, Level C, and Level D Service Limits .....	100
ND-3592.2(b)-1	Class 3 Pressure Relief Devices: Level B, C, and D Service Loadings .....	105
ND-3611.2(e)-1	Stress Range Reduction Factors .....	107
ND-3613.4-1	Weld Joint Efficiency Factor .....	109
ND-3641.1(a)-1	Values of $A$ .....	112
ND-3642.1(c)-1	Minimum Thickness for Bending .....	113
ND-3821.5-1	Design and Service Limits .....	142
ND-3852.7-1	Allowable Tensile Stresses for Roof Supports .....	145
ND-3852.7-2	Allowable Axial Compression Stresses for Roof Supports .....	146
ND-3852.7-3	Allowable Bending Stresses for Roof Supports .....	148
ND-3852.7-4	Allowable Shear Stresses for Roof Supports .....	150
ND-3852.7-5	Allowable Shear and Tension Stresses for Bolts for Roof Supports .....	151
ND-3852.7-6	Allowable Bearing Stresses for Bolts for Roof Supports .....	151
ND-3861-1	Roof Manholes .....	153
ND-3862(a)-1	Flanged Roof Nozzles .....	154
ND-3862(a)-2	Screwed or Socket Weld Roof Nozzles .....	155
ND-3863-1	Welded Bottom Outlet Elbow .....	155
ND-3865-1	Platforms and Walkways .....	157
ND-3865-2	Stairways .....	157
ND-3865-3	Stairway Rise, Run, and Angle Relationships .....	158
ND-3921.8-1	Design and Service Limits for Steel Tanks .....	159
ND-3923.1-1	Maximum Allowable Stress Values for Structural Members .....	163
ND-3932.2(d)-1	Factors for Determining Values of $R_1$ and $R_2$ for 2:1 Ellipsoidal Roofs and Bottoms .....	168
ND-3933.5(h)-1	Some Values for $k$ Based on $n$ , $\theta$ .....	174
<b>Article ND-4000</b>	<b>Fabrication and Installation</b> .....	175
ND-4100	General Requirements .....	175
ND-4110	Introduction .....	175
ND-4120	Certification of Material and Fabrication by Component Certificate Holder .....	175
ND-4130	Repair of Material .....	176
ND-4200	Forming, Fitting, and Aligning .....	176
ND-4210	Cutting, Forming, and Bending .....	176
ND-4220	Forming Tolerances .....	177
ND-4230	Fitting and Aligning .....	180
ND-4240	Requirements for Weld Joints in Components .....	182
ND-4250	Welding End Transitions — Maximum Envelope .....	201
ND-4300	Welding Qualifications .....	201
ND-4310	General Requirements .....	201
ND-4320	Welding Qualifications, Records, and Identifying Stamps .....	203
ND-4330	General Requirements for Welding Procedure Qualification Tests .....	203
ND-4350	Special Qualification Requirements for Tube-to-Tubesheet Welds .....	206
ND-4400	Rules Governing Making, Examining, and Repairing Welds .....	206
ND-4410	Precautions to Be Taken Before Welding .....	206
ND-4420	Rules for Making Welded Joints .....	206

ND-4430	Welding of Attachments .....	207
ND-4450	Repair of Weld Metal Defects .....	210
ND-4460	Welded Test Plates .....	211
ND-4470	Welded Stayed Construction.....	211
ND-4500	Brazing.....	211
ND-4510	Rules for Brazing .....	211
ND-4520	Brazing Qualification Requirements .....	212
ND-4530	Fitting and Aligning of Parts to Be Brazed.....	214
ND-4540	Examination of Brazed Joints.....	214
ND-4600	Heat Treatment.....	214
ND-4610	Welding Preheat Requirements .....	214
ND-4620	Postweld Heat Treatment.....	215
ND-4630	Heat Treatment of Welds Other Than the Final Postweld Heat Treatment .....	220
ND-4650	Heat Treatment After Bending or Forming for Pipe, Pumps, and Valves .....	220
ND-4660	Heat Treatment of Electroslag Welds.....	221
ND-4700	Mechanical Joints .....	221
ND-4710	Bolting and Threading .....	221
ND-4720	Bolting Flanged Joints .....	221
ND-4730	Electrical and Mechanical Penetration Assemblies .....	221
ND-4800	Expansion Joints .....	221
ND-4810	Fabrication and Installation Rules for Bellows Expansion Joints.....	221

**Figures**

ND-4221.1-1	Maximum Difference in Cross-Sectional Diameters .....	178
ND-4221.2(a)-1	Maximum Permissible Deviation $e$ From a True Circular Form .....	179
ND-4221.2(a)-2	Maximum Arc Length for Determining Plus or Minus Deviation.....	180
ND-4233-1	Butt Weld Alignment and Mismatch Tolerances for Unequal I.D. and O.D. When Components Are Welded From One Side and Fairing Is Not Performed.....	181
ND-4243-1	Attachment of Pressure Parts to Plates to Form a Corner Joint .....	183
ND-4243.1-1	Typical Flat Heads, and Supported and Unsupported Tubesheets With Hubs.....	185
ND-4244(a)-1	Nozzles, and Branch and Piping Connections Joined by Full Penetration Butt Welds .....	186
ND-4244(b)-1	Nozzles, and Branch and Piping Connections Joined by Full Penetration Corner Welds.....	187
ND-4244(c)-1	Deposited Weld Metal Used as Reinforcement of Openings for Nozzles, and Branch and Piping Connections.....	188
ND-4244(d)-1	Some Acceptable Types of Welded Nozzles, and Branch and Piping Connections .....	190
ND-4244(e)-1	Some Acceptable Types of Welded Nozzles.....	191
ND-4244(e)-2	Some Acceptable Types of Small Fittings.....	192
ND-4244(f)-1	Tube Connections .....	193
ND-4244(g)-1	Some Acceptable Types of Welded Nozzles, and Branch and Piping Connections .....	194
ND-4245-1	Attachment Welds .....	195
ND-4246.1(a)-1	Typical Bottom and Bottom-to-Shell Joints .....	197
ND-4246.3-1	Typical Roof and Roof-to-Shell Joints.....	198
ND-4246.5-1	Roof Manholes.....	199
ND-4246.5-2	Flanged Roof Nozzles .....	200
ND-4246.5-3	Screwed or Socket Weld Roof Nozzles .....	200
ND-4246.5-4	Welded Bottom Outlet Elbow .....	200

ND-4250-1	Welding End Transitions Maximum Envelope . . . . .	202
ND-4427-1	Fillet and Socket Weld Details and Dimensions . . . . .	208
ND-4433-1	Types of Attachment Welds . . . . .	209
ND-4437.2(b)-1	Some Acceptable Methods of Attaching Stiffening Rings to Shells of Cylindrical Vessels Subjected to External Pressure . . . . .	210
ND-4470-1	Welded Stayed Construction . . . . .	212
ND-4511-1	Brazed Connections for Appurtenances and Piping, NPS 4 (DN 100) and Less . . . . .	213
ND-4730-1	Penetration Assembly . . . . .	222
ND-4810(c)-1	Permissible Attachment Welds for Bellows . . . . .	222
 <b>Tables</b>		
ND-4232(a)-1	Maximum Allowable Offset in Final Welded Joints . . . . .	181
ND-4247.6(d)-1	Minimum Sizes for Fillet Welds . . . . .	201
ND-4524-1	Maximum Design Temperatures for Brazing Filler Metal, °F (°C) . . . . .	214
ND-4622.1-1	Mandatory Requirements for Postweld Heat Treatment of Welds . . . . .	216
ND-4622.4(c)-1	Alternative Holding Temperatures and Times . . . . .	217
ND-4622.7(b)-1	Exemptions to Mandatory PWHT . . . . .	218
 <b>Article ND-5000</b>		
	<b>Examination</b> . . . . .	223
ND-5100	General Requirements for Examination . . . . .	223
ND-5110	Procedures, Qualifications, and Evaluation . . . . .	223
ND-5120	Time of Examination of Welds and Weld Metal Cladding . . . . .	223
ND-5200	Examination of Welds . . . . .	224
ND-5210	Category A Vessel Welded Joints in Vessels and Similar Welded Joints in Piping, Pumps, and Valves . . . . .	224
ND-5220	Category B Vessel Welded Joints and Circumferential Welded Joints in Piping, Pumps, and Valves . . . . .	224
ND-5230	Category C Vessel Welded Joints and Similar Welded Joints in Piping, Pumps, and Valves . . . . .	225
ND-5240	Category D Vessel Welded Joints and Similar Joints in Piping, Pumps, and Valves . . . . .	225
ND-5260	Welded Stayed Construction . . . . .	225
ND-5270	Special Welds . . . . .	226
ND-5280	Welded Joints in Storage Tanks . . . . .	226
ND-5300	Acceptance Standards . . . . .	227
ND-5320	Radiographic Acceptance Standards . . . . .	227
ND-5330	Ultrasonic Acceptance Standards . . . . .	228
ND-5340	Magnetic Particle Acceptance Standards . . . . .	228
ND-5350	Liquid Penetrant Acceptance Standards . . . . .	229
ND-5360	Visual Acceptance Standards for Brazed Joints . . . . .	229
ND-5380	Gas and Bubble Formation Testing . . . . .	229
ND-5400	Spot Examination of Welded Joints . . . . .	229
ND-5410	General Requirements . . . . .	229
ND-5420	Minimum Extent of Spot Radiographic Examination . . . . .	229
ND-5430	Standards for Spot Radiographic Examination . . . . .	230
ND-5440	Evaluation and Retests . . . . .	230
ND-5500	Qualifications and Certification of Nondestructive Examination Personnel . . . . .	230
ND-5510	General Requirements . . . . .	230
ND-5520	Personnel Qualification, Certification, and Verification . . . . .	230
ND-5530	Records . . . . .	231
ND-5700	Examination Requirements for Expansion Joints . . . . .	231
ND-5720	Bellows Expansion Joints . . . . .	231

**Table**

ND-5211.2-1	Thickness Above Which Full Radiographic Examination of Butt Welded Joint Is Mandatory .....	224
<b>Article ND-6000</b>	<b>Testing</b> .....	233
ND-6100	General Requirements .....	233
ND-6110	Pressure Testing of Components, Appurtenances, and Systems .....	233
ND-6120	Preparation for Testing .....	234
ND-6200	Hydrostatic Tests .....	235
ND-6210	Hydrostatic Test Procedure .....	235
ND-6220	Hydrostatic Test Pressure Requirements .....	235
ND-6230	Bellows Expansion Joints .....	235
ND-6240	Provision for Embedded or Inaccessible Welded Joints in Piping .....	236
ND-6300	Pneumatic Tests .....	236
ND-6310	Pneumatic Testing Procedures .....	236
ND-6320	Pneumatic Test Pressure Requirements .....	236
ND-6330	Bellows Expansion Joints .....	236
ND-6400	Pressure Test Gages .....	236
ND-6410	Requirements for Pressure Test Gages .....	236
ND-6500	Atmospheric and 0 psig to 15 psig (0 kPa to 100 kPa) Storage Tanks .....	237
ND-6510	Testing of Atmospheric Storage Tanks .....	237
ND-6520	Testing of 0 psig to 15 psig (0 kPa to 100 kPa) Storage Tanks .....	237
ND-6530	Test Gages .....	238
ND-6600	Special Test Pressure Situations .....	239
ND-6610	Components Designed for External Pressure .....	239
ND-6620	Pressure Testing of Combination Units .....	239
ND-6900	Proof Tests to Establish Design Pressure .....	239
ND-6910	General Requirements .....	239
ND-6920	Procedures .....	240
ND-6930	Procedure for Components Having Chambers of Special Shape Subject to Collapse .....	243
<b>Article ND-7000</b>	<b>Overpressure Protection</b> .....	244
ND-7100	General Requirements .....	244
ND-7110	Scope .....	244
ND-7120	Integrated Overpressure Protection .....	244
ND-7130	Verification of the Operation of Reclosing Pressure Relief Devices .....	244
ND-7140	Installation .....	244
ND-7150	Acceptable Pressure Relief Devices .....	245
ND-7160	Unacceptable Pressure Relief Devices .....	246
ND-7170	Permitted Use of Pressure Relief Devices .....	246
ND-7200	Overpressure Protection Report .....	246
ND-7210	Responsibility for Report .....	246
ND-7220	Content of Report .....	246
ND-7230	Certification of Report .....	247
ND-7240	Review of Report After Installation .....	247
ND-7250	Filing of Report .....	247
ND-7300	Relieving Capacity Requirements .....	247
ND-7310	Expected System Pressure Transient Conditions .....	247
ND-7320	Unexpected System Excess Pressure Transient Conditions .....	248
ND-7330	System Faulted Conditions .....	248

ND-7400	Set Pressures of Pressure Relief Devices . . . . .	248
ND-7410	Set Pressure Limitations for Expected System Pressure Transient Conditions . . . . .	248
ND-7420	Set Pressure Limitations for Unexpected System Excess Pressure Transient Conditions . . . . .	248
ND-7500	Operating and Design Requirements for Pressure and Vacuum Relief Valves . . . . .	248
ND-7510	Safety, Safety Relief, and Relief Valves . . . . .	248
ND-7520	Pilot Operated Pressure Relief Valves . . . . .	250
ND-7530	Power Actuated Pressure Relief Valves . . . . .	251
ND-7540	Safety and Safety Relief Valves With Auxiliary Actuating Devices . . . . .	251
ND-7550	Vacuum Relief Valves . . . . .	251
ND-7560	Alternative Test Media . . . . .	252
ND-7600	Nonreclosing Pressure Relief Devices . . . . .	252
ND-7610	Rupture Disk Devices . . . . .	252
ND-7620	Installation Requirements . . . . .	253
ND-7700	Certification . . . . .	253
ND-7710	Responsibility for Certification of Pressure and Vacuum Relief Valves . . . . .	254
ND-7720	Responsibility for Certification of Nonreclosing Pressure Relief Devices . . . . .	254
ND-7730	Capacity Certification of Pressure Relief Valves — Compressible Fluids . . . . .	254
ND-7740	Capacity Certification of Pressure Relief Valves — Incompressible Fluids . . . . .	258
ND-7750	Capacity Certification of Vacuum Relief Valves . . . . .	260
ND-7760	Capacity Determination of Rupture Disk Devices . . . . .	262
ND-7800	Marking, Stamping, and Data Reports . . . . .	264
ND-7810	Pressure and Vacuum Relief Valves . . . . .	264
ND-7820	Rupture Disk Devices . . . . .	265
ND-7830	Pressure Relief Valve in Combination With Rupture Disk Devices . . . . .	265
ND-7840	Certificate of Authorization to Use Code Symbol Stamp . . . . .	265
<b>Figures</b>		
ND-7734.2(a)-1	Values of $F$ for Nonchoking Flow . . . . .	257
ND-7754.2(a)-1	Values of $F$ for Nonchoking Flow . . . . .	262
<b>Article ND-8000</b>	<b>Nameplates, Stamping, and Reports</b> . . . . .	266
ND-8100	General Requirements . . . . .	266