

AN INTERNATIONAL CODE

2007 ASME Boiler & Pressure Vessel Code

2007 Edition

July 1, 2007

III

Division 1 – Appendices

RULES FOR CONSTRUCTION OF NUCLEAR FACILITY COMPONENTS

ASME Boiler and Pressure Vessel Committee
Subcommittee on Nuclear Power



The American Society of
Mechanical Engineers



CONTENTS

Foreword	xix
Statements of Policy	xxi
Personnel	xxv
Organization of Section III	xxxv
Summary of Changes	xxxvii
List of Changes in BC Order	xxxix

MANDATORY APPENDICES

Appendix I	Design Fatigue Curves	1
-------------------	------------------------------------	---

Figures

I-9.1	Design Fatigue Curves for Carbon, Low Alloy, and High Tensile Steel for Metal Temperatures Not Exceeding 700°F (370°C).....	4
I-9.2.1	Design Fatigue Curves for Austenitic Steels, Nickel-Chromium-Iron Alloy, Nickel-Iron-Chromium Alloy, and Nickel-Copper Alloy for $S_a > 28.2$ ksi for Temperatures Not Exceeding 800°F (425°C)	6
I-9.2.2	Design Fatigue Curves for Austenitic Steels, Nickel-Chromium-Iron Alloy, Nickel-Iron-Chromium Alloy, and Nickel-Copper Alloy for $S_a \leq 28.2$ ksi (194 MPa) for Temperatures Not Exceeding 800°F (425°C).....	8
I-9.2.3	Flow Chart for Use of Curves in Figs. I-9.2.2 and I-9.2.2M.	11
I-9.3	Design Fatigue Curves for Wrought 70 Copper-30 Nickel Alloy for Temperatures Not Exceeding 800°F (425°C).....	12
I-9.4	Design Fatigue Curves for High Strength Steel Bolting for Temperatures Not Exceeding 700°F (370°C)	14
I-9.5	Design Fatigue Curves for Nickel-Chromium-Molybdenum-Iron Alloys (UNS N06003, N06007, N06455, and N10276) for Temperatures Not Exceeding 800°F (425°C)	16
I-9.6	Design Fatigue Curves for Grade 9 Titanium for Temperatures Not Exceeding 600°F (315°C)	19

Tables

I-9.1	Tabulated Values of S_a , ksi (MPa), From Figs. I-9.0	2
I-9.2.2	Tabulated Values of S_a , ksi (MPa), From Fig. I-9.2.2.....	10
I-9.5	Tabulated Values of S_a , ksi (MPa), From Fig. I-9.5	18
I-9.6	Tabulated Values of S_a , ksi (MPa), for Grade 9 Titanium From Fig. I-9.6....	21

Appendix II	Experimental Stress Analysis	22
II-1000	Experimental Stress Analysis	22
II-1100	Introduction.....	22
II-1200	Permissible Types of Noncyclic Tests and Calculation of Stresses	22
II-1300	Test Procedures	23
II-1400	Interpretation of Results.....	24
II-1500	Cyclic Tests	24
II-1600	Determination of Fatigue Strength Reduction Factors	29
II-1700	Experimental Stress Analysis of Openings	29

II-1800	Experimental Determination of Stress Indices for Piping.	30
II-1900	Experimental Determination of Flexibility Factors	30
II-2000	Experimental Determination of Stress Intensification Factors.....	31
II-2100	Introduction.....	31
II-2200	Definitions.....	31
II-2300	Test Procedure	31
II-2400	Stress Intensification Factor.....	31
II-2500	Variations in Materials and Geometry	33
II-2600	Test Report.....	33
 Figures		
II-1430-1	Construction for II-1430	25
II-1520(c)-1	Construction of the Testing Parameters Ratio Diagram	27
II-1520(c)-2	Construction of the Testing Parameters Ratio Diagram for Accelerated Tests.....	28
II-2310-1	Schematic of Test Assembly.....	32
II-2330-1	Displacement <i>D</i> and Force <i>F</i> Recorded During Loading and Unloading of Test Specimen, With Linear Displacement	32
 Table		
II-2440-1	Stress Intensification Increase Factor	33
 Appendix III		
	Basis for Establishing Design Stress Intensity Values and Allowable Stress Values.....	35
III-1000	Introduction.....	35
III-1100	Derivation of Values and Their Tabular Organization	35
III-2000	Design Stress Intensity Values for Class 1 Components	37
III-2100	Mechanical Property Criteria	37
III-2200	Fatigue Strength Criteria for All Materials	37
 Appendix IV		
	Approval of New Materials Under the ASME Boiler and Pressure Vessel Code.....	38
 Appendix V		
	Certificate Holders' Data Report Forms, Instructions, and Application Forms for Certificates of Authorization for Use of Code Symbol Stamps	38
 Forms		
Form N-1	Certificate Holders' Data Report for Nuclear Vessels.....	39
Form N-1A	Certificate Holders' Data Report for Nuclear Vessels (Alternate Form for Single Chamber Completely Shop-Fabricated Vessels Only).....	41
Form N-2	Certificate Holders' Data Report for Identical Nuclear Parts and Appurtenances	42
Form N-3	Owners' Data Report for Nuclear Power Plant Components.....	44
Form N-5	Certificate Holders' Data Report for Installation or Shop Assembly of Nuclear Power Plant Components, Supports, and Appurtenances	46
Form N-6	Certificate Holders' Data Report for Storage Tanks	48
Form NPP-1	Certificate Holders' Data Report for Fabricated Nuclear Piping Subassemblies	50
Form NPV-1	Certificate Holders' Data Report for Nuclear Pumps or Valves.....	52
Form NV-1	Certificate Holders' Data Report for Pressure or Vacuum Relief Valves.....	54
Form NCS-1	Certificate Holders' Data Report for Core Support Structures	56

Form NF-1	Certificate Holders' Data Report for Supports	57
Form NM-1	Certificate Holders' Data Report for Tubular Products and Fittings Welded With Filler Metal	59
Form NS-1	Certificate Holders' Certificate of Conformance for Welded Supports	60
Form C-1	Certificate Holders' Data Report for Concrete Reactor Vessels and Containments	62
Table		
V-1000	Guide for Preparation of Data Report Forms	64
Appendix VI	Rounded Indications	70
VI-1000	Rounded Indications	70
VI-1100	Acceptance Standards for Radiographically Determined Rounded Indications in Welds	70
Figures		
VI-1134-1	Aligned Rounded Indications	72
VI-1134-2	Groups of Aligned Rounded Indications	72
VI-1136-1	Charts for t Equal to $\frac{1}{8}$ – $\frac{1}{4}$ in. (3–6 mm), Inclusive	73
VI-1136-2	Charts for t Over $\frac{1}{4}$ – $\frac{3}{8}$ in. (6–10 mm), Inclusive	73
VI-1136-3	Charts for t Over $\frac{3}{8}$ – $\frac{3}{4}$ in. (10–19 mm), Inclusive	74
VI-1136-4	Charts for t Over $\frac{3}{4}$ –2 in. (19–50 mm), Inclusive	75
VI-1136-5	Charts for t Over 2–4 in. (50–100 mm), Inclusive	76
VI-1136-6	Charts for t Over 4 in. (100 mm)	77
Table		
VI-1132-1	Maximum Size of Nonrelevant Indications and Acceptable Rounded Indications — Examples Only	71
Appendix XI	Rules for Bolted Flange Connections for Class 2 and 3 Components and Class MC Vessels	78
XI-1000	Introduction	78
XI-1100	General Requirements	78
XI-2000	Materials for Bolted Flange Connections	80
XI-2100	Material Requirements	80
XI-3000	Design Requirements	81
XI-3100	General Requirements	81
XI-3200	Class RF Flange Design	88
Figures		
XI-3120-1	Types of Flanges	82
XI-3240-1	Values of T , U , Y , and Z (Terms Involving K)	93
XI-3240-2	Values of F (Integral Flange Factors)	94
XI-3240-3	Values of V (Integral Flange Factors)	94
XI-3240-4	Values of F_L (Loose Hub Flange Factors)	95
XI-3240-5	Values of V_L (Loose Hub Flange Factors)	95
XI-3240-6	Values of f (Hub Stress Correction Factor)	96

Tables		
XI-3221.1-1	Gasket Materials and Contact Facings	85
XI-3221.1-2	Effective Gasket Width	87
XI-3230-1	Moment Arms for Flange Loads	88
XI-3240-1	Flange Factors in Formula Form	90
Appendix XII	Design Considerations for Bolted Flange Connections	97
XII-1000	Design Considerations for Bolted Flange Connections.....	97
XII-1100	Considerations	97
Appendix XIII	Design Based on Stress Analysis (for Vessels Designed in Accordance With Division 1, NC-3200 and Division 3, WC-3000).....	100
XIII-1000	Design Based on Stress Analysis.....	100
XIII-1100	General Requirements.....	100
XIII-2000	Pressure Stresses in Openings for Fatigue Evaluation	110
XIII-2100	Methods of Evaluation	110
Figures		
XIII-1141-1	Stress Categories and Limits of Stress Intensity.....	107
XIII-2122-1	Direction of Stress Components.....	110
XIII-2124(e)-1	Nozzle Nomenclature and Dimensions.....	112
Tables		
XIII-1130-1	Classification of Stress Intensity in Vessels for Some Typical Cases.....	104
XIII-1153(a)-1	Values of m , n , and T_{max} for Various Classes of Permitted Materials	108
XIII-2123-1	Nozzles in Spherical Shells and Formed Heads.....	111
XIII-2123-2	Nozzles in Cylindrical Shells	111
Appendix XIV	Design Based on Fatigue Analysis (for Vessels Designed in Accordance With Division 1, NC-3200 and Division 3, WC-3200).....	114
XIV-1000	Design Based on Fatigue Analysis	114
XIV-1100	Introduction.....	114
XIV-1200	Analysis for Cyclic Service of Vessels.....	114
XIV-1300	Analysis for Cyclic Service of Bolts.....	116
XIV-1400	Analysis for Thermal Stress Ratchet.....	117
Appendix XVIII	Capacity Conversions for Pressure Relief Valves.....	118
XVIII-1000	Capacity Conversions for Pressure Relief Valves	118
XVIII-1100	Procedure for Conversion	118
Figures		
XVIII-1110-1	Constant C for Gas or Vapor Related to Ratio of Specific Heats ($k = c_p/c_v$).....	122
XVIII-1140-1	Flow Capacity Curve for Rating Nozzle Type Safety Valves on Saturated Water (Based on 10% Overpressure)	124
Tables		
XVIII-1110-1	Superheat Correction Factor K_{sh}	119
XVIII-1110(a)-1	Molecular Weights of Gases and Vapors.....	123

Appendix XIX	Integral Flat Head With a Large Opening	126
XIX-1000	Integral Flat Head With a Large Opening	126
XIX-1100	General Requirements	126
XIX-1200	Design Procedure	126
Figures		
XIX-1110-1	Applicable Configurations of Flat Heads	127
XIX-1110-2	Integral Flat Head With Large Central Opening	127
Appendix XX	Submittal of Technical Inquiries to the Boiler and Pressure Vessel Committee	129
XX-1000	Submittal of Technical Inquiries to the Boiler and Pressure Vessel Committee	129
XX-1100	Introduction	129
XX-1200	Inquiry Format	129
XX-1300	Code Revisions or Additions	130
XX-1400	Code Cases	130
XX-1500	Code Interpretations	130
XX-1600	Submittals	130
Appendix XXI	Adhesive Attachment of Nameplates	131
XXI-1000	Adhesive Attachment of Nameplates	131
XXI-1100	Introduction	131
Appendix XXII	Rules for Reinforcement of Cone-to-Cylinder Junction Under External Pressure	132
XXII-1000	Rules for Reinforcement of Cone-to-Cylinder Junction Under External Pressure	132
XXII-1100	Introduction	132
XXII-1200	Nomenclature	132
XXII-1300	Design Pressure	133
Table		
XXII-1200-1	Values of Δ for Junctions at the Large Cylinder for $\alpha \leq 60$ deg.	133
Appendix XXIII	Qualifications and Duties of Specialized Professional Engineers	136
XXIII-1000	Qualifications and Duties of Specialized Professional Engineers	136
XXIII-1100	Scope	136
XXIII-1200	Qualifications	136
XXIII-1300	Duties	137
Nonmandatory Guides		
Guide A	Sample Statements	140
	Form A-1 Design Specification (Div. 1 and 2)	140
	Form A-2 Design Report	141
	Form A-3 Overpressure Protection Report (Div. 1 and 2)	142
	Form A-4 Design Specification (Div. 3)	143
	Form A-5 Fabrication Specification (Div. 3)	144
Guide B	Guidelines for Establishing ASME Code Knowledge	145
Guide C	Guidelines for Demonstrating PE Qualifications	148

Tables		
B1	Design Specification — Divisions 1 and 2	146
B2	Design Report — Division 1	146
B3	Overpressure Protection Report — Divisions 1 and 2	146
B4	Load Capacity Data Sheet — Division 1	146
B5	Construction Specification, Design Drawings, and Design Report — Division 2	147
B6	Design Specification — Division 3	147
B7	Design Report — Division 3	147
B8	Fabrication Specification — Division 3	147
Appendix XXIV Standard Units for Use in Equations		
XXIV-1000	Standard Units for Use in Equations	149
NONMANDATORY APPENDICES		
Appendix A Stress Analysis Methods		
A-1000	Stress Analysis Methods	151
A-1100	Introduction	151
A-2000	Analysis of Cylindrical Shells	152
A-2100	Introduction	152
A-2200	Stress Intensities, Displacements, Bending Moments, and Limiting Values	153
A-3000	Analysis of Spherical Shells	156
A-3100	Introduction	156
A-3200	Stress Intensities, Bending Analysis, Displacements, and Edge Loads	157
A-4000	Design Criteria and Equations for Torispherical and Ellipsoidal Heads	160
A-4100	Introduction	160
A-5000	Analysis of Flat Circular Heads	162
A-5100	Introduction	162
A-5200	Loads, Displacements, and Geometry Constants	162
A-6000	Discontinuity Stresses	166
A-6100	Introduction	166
A-6200	Method of and Procedure for Discontinuity Analysis	166
A-7000	Thermal Stresses	172
A-7100	Introduction	172
A-8000	Stresses in Perforated Flat Plates	173
A-8100	Introduction	173
A-9000	Interaction Method	186
A-9100	Introduction	186
A-9200	Interaction Equations	187
A-9300	Allowable Loads and Stresses	187
A-9400	New Interaction Equations	187
A-9500	Determination of Allowable Bending Strength of Beams by the Apparent Stress Method	189
Figures		
A-2120-1	152
A-3120-1	157
A-5120-1	162
A-5212-1	163
A-5213-1	163
A-5221-1	163
A-5222-1	164
A-6230-1	167

A-6230-2	168
A-6230-3	168
A-6230-4	169
A-6230-5	169
A-8120-1	174
A-8131-1	175
A-8132.1-1	176
A-8132.2-1	176
A-8132.3-1	177
A-8132.4-1	177
A-8142-1	178
A-8142-2	178
A-8142-3	179
A-8142-4	180
A-8142-5	181
A-8142-6	183
A-8143.2-1	184
A-8153-1	185
A-9210(d)-1	Interaction Curve for Beams Subject to Bending and Shear or to Bending, Shear, and Direct Loads.....	188
A-9523.1-1	Sign Convention and Nomenclature	190
A-9531-1	Bending and Shear Stresses.....	191
A-9532(c)(3)-1	Interaction Exponent.....	192
A-9533(b)-1	Interaction Curve for Bending and Tension	193
A-9541-1	Trapezoidal Stress–Strain Relationship.....	193
A-9541-2	Ultimate and Yield Trapezoidal Intercept Stresses	195
A-9541-3	Linearized Ultimate and Yield Bending Stresses for Rectangular Section.....	195
A-9541-4	Proportional Limit as a Function of Yield Stress.....	196
A-9542-1	Linearized Bending Stress Versus Allowable Stress for SA-672 A50 Material at 600°F (316°C)	197
 Tables		
A-5240-1	165
A-9210(d)-1	Interaction Equations for Common Beam Shapes	188
A-9521(b)-1	Section Factors.....	190
 Appendix B		
Owner’s Design Specifications		198
B-1000	Introduction and Scope.....	198
B-1100	Introduction.....	198
B-1200	Scope of Certified Design Specification	198
B-2000	Generic Requirements.....	199
B-2100	Certified Design Specification Requirements	199
B-2200	Operability.....	203
B-2300	Regulatory Requirements.....	203
B-3000	Specific Vessel Requirements.....	204
B-3100	Certified Design Specification Requirements	204
B-4000	Specific Pump Requirements.....	205
B-4100	Certified Design Specification Requirements	205
B-4200	Operability Requirements for Pumps	205
B-4300	Regulatory Requirements.....	205

B-5000	Specific Valve Requirements	206
B-5100	Certified Design Specification Requirements	206
B-5200	Operability Requirements for Valves	206
B-5300	Regulatory Requirements.....	207
B-6000	Specific Piping Requirements.....	208
B-6100	Certified Design Specification Requirements	208
B-7000	Specific Containment Requirements	209
B-7100	Certified Design Specification Requirements	209
B-8000	Specific Component Support Requirements.....	210
B-8100	Certified Design Specification Requirements	210
B-8300	Regulatory Requirements.....	210
B-9000	Specific Core Support Structures Requirements.....	211
B-9100	Certified Design Specification Requirements	211
B-10000	Specific Parts and Miscellaneous Items Requirements	213
B-10100	Certified Design Specification Requirements	213
Figure		
B-2123-1	Time-Dependent Load Information	201
Appendix C	Certificate Holder’s Design Report	214
C-1000	Certificate Holder’s Design Report	214
C-1100	Introduction.....	214
C-1200	Thermal Analysis.....	215
C-1300	Structural Analysis	216
C-1400	Fatigue Evaluation.....	216
Appendix D	Nonmandatory Preheat Procedures.....	218
D-1000	Nonmandatory Preheat Procedures	218
D-1100	Introduction.....	218
D-1200	Ferrous Materials.....	218
Appendix E	Minimum Bolt Cross-Sectional Area.....	220
E-1000	Minimum Bolt Cross-Sectional Area	220
E-1100	Introduction.....	220
E-1200	Design Cross-Sectional Area.....	220
Tables		
E-1210-1	Gasket Materials and Contact Facings	222
E-1210-2	Effective Gasket Width	224
Appendix F	Rules for Evaluation of Service Loadings With Level D Service Limits	225
F-1000	Rules for Evaluation of Service Loadings With Level D Service Limits.....	225
F-1100	Introduction.....	225
F-1200	Intent of Level D Service Limits.....	225
F-1300	Level D Service Limits and Design Rules.....	225
F-1400	Vessels.....	233

Table		
F-1200-1	Level D Service Limits	226
Appendix G	Fracture Toughness Criteria for Protection Against Failure	235
G-1000	Introduction.....	235
G-2000	Vessels.....	236
G-2100	General Requirements.....	236
G-2200	Level A and Level B Service Limits	236
G-2300	Level C and Level D Service Limits	242
G-2400	Hydrostatic Test Temperature.....	242
Figures		
G-2210-1	237
G-2214-1	239
G-2214-2	241
G-2214-3	241
Appendix K	Tolerances	244
K-1000	Tolerances	244
K-1100	Introduction.....	244
K-1200	Objective	244
K-1300	General Requirements.....	244
Table		
K-1330-1	Local Installation Tolerances for Piping Supports	245
Appendix L	Class FF Flange Design for Class 2 and 3 Components and Class MC Vessels.....	250
L-1000	Class FF Flanges — Introduction	250
L-1100	General Requirements.....	250
L-2000	Class FF Flanges — Materials	251
L-2100	Material Requirements	251
L-3000	Class FF Flanges — Design.....	252
L-3100	General Requirements.....	252
L-3200	Design of Flanges and Bolting.....	257
Figures		
L-3191-1	Bolt Hole Flexibility Factor	255
L-3191-2	Flange Dimensions and Forces.....	256
L-3230-1	Group 1 Flange Assembly (Identical Flange Pairs).....	260
L-3230-2	Group 2 Flange Assembly.....	260
L-3230-3	Group 3 Flange Assembly.....	261
Tables		
L-3212-1	Trial Flange Thickness and Area of Bolting for Various Groups of Assemblies and Flange Categories	258

L-3240-1	Summary of Applicable Formulas for Different Groups of Assemblies and Different Categories of Flanges.....	261
Appendix M	Recommendations for Control of Welding, Postweld Heat Treatment, and Nondestructive Examination of Welds.....	265
M-1000	Recommendations for Control of Welding, Postweld Heat Treatment, and Nondestructive Examination of Welds.....	265
M-1100	Introduction.....	265
M-1200	Welding Procedure Specifications.....	265
M-1300	Welding Performance Qualification and Assignment.....	266
M-1400	Control of Welding.....	266
M-1500	Nondestructive Examination of Welds.....	266
M-1600	Postweld Heat Treatment.....	266
M-1700	Examination and Dimensional Inspection.....	266
Appendix N	Dynamic Analysis Methods.....	267
N-1000	Dynamic Analysis Methods.....	267
N-1100	Introduction and Scope.....	267
N-1200	Seismic Analysis.....	268
N-1300	Flow-Induced Vibration of Tubes and Tube Banks.....	295
N-1400	Dynamics of Coupled Fluid-Shells.....	312
N-1500	Fluid Transient Dynamics.....	319
N-1600	Miscellaneous Impulsive and Impactive Loads.....	319
N-1700	Combined Responses.....	319
Figures		
N-1211(a)-1	Horizontal Design Response Spectra Scaled to 1 g Horizontal Ground Acceleration.....	269
N-1211(b)-1	Vertical Design Response Spectra Scaled to 1 g Horizontal Ground Acceleration.....	272
N-1226-1	Response Spectrum Peak Broadening and Peak Amplitude.....	284
N-1226-2	Use of Floor Spectra When Several Equipment Frequencies Are Within the Widened Spectral Peak.....	286
N-1228.3-1	Coefficients for a Component of Shear for a Unit Displacement of a Nondatum Support.....	290
N-1321-1	Vortices Shed From a Circular Cylinder.....	299
N-1321-2	Some Typical Cross Sections of Bluff Bodies That Can Experience Vortex Shedding.....	299
N-1323-1	Synchronization of the Vortex Shedding Frequency and the Tube Natural Frequency for a Single, Flexibly-Mounted Circular Cylinder. Synchronization Occurs Within the Shaded Region.....	301
N-1331-1	Response of a Tube Bank to Cross Flow.....	304
N-1331-2	Tube Vibration Patterns at Fluidelastic Instability for a Four-Tube Row.....	305
N-1331-3	Tube Arrangements.....	306
N-1331-4	Stability Diagram.....	307
N-1343-1	Random Excitation Coefficient for Arrays in Cross Flow.....	310
N-1430-1	Vibration Forms for Circular Cylindrical Shells.....	314
N-1451-1	Comparison of Fritz and Kiss Solution With Exact Solution.....	317
N-1470-1	Imaginary Part of Z as a Function of b/a for Selected Value of S	320
N-1722.2-1	Definition of Notation.....	322
N-1723.1-1	324
N-1723.1-2	324
N-1723.1-3	325
N-1723.1-4	325

Tables		
N-1211(a)-1	Horizontal Design Response Spectra Relative Values of Spectrum Amplification Factors for Control Points.....	271
N-1211(b)-1	Vertical Design Response Spectra Relative Values of Spectrum Amplification Factors for Control Points.....	271
N-1225.1.1(b)-1	Minimum Support Load Factor	282
N-1226-1	Suggested Frequencies, Hz, for Calculation of Ground and Floor Response Spectra.....	283
N-1230-1	Damping Values.....	291
N-1311-1	Added Mass for Lateral Acceleration of Structures in a Fluid Reservoir.....	297
N-1311-2	Guidelines for Damping of Flow-Induced Vibration.....	298
N-1324.2(a)-1	Semiempirical Correlations for Predicting Resonant Vortex-Induced Vibration Amplitude.....	302
 References to Appendix N		
 Appendix O		
Rules for Design of Safety Valve Installations		
O-1000	Rules for Design of Safety Valve Installations.....	332
O-1100	Scope and Definition.....	332
O-1200	Method of and Procedure for Load Computation.....	333
O-1300	Stress Evaluation Open System	334
O-1400	Closed Discharge Systems — Open Discharge Systems With Long Discharge Pipes — Systems With Slug Flow.....	334
O-1500	Design Considerations	335
 Figures		
O-1120(e)-1	Application Point of Venting Force F	333
O-1120(e)-2	Limiting Safety Valve Arrangements and Dimensions	333
 Appendix P		
Certified Material Test Reports		
P-1000	Certified Material Test Reports	336
P-1100	Introduction.....	336
P-1200	General Required Information	336
P-1300	Information Required Under Specific Circumstances	336
P-1400	Execution.....	337
 Appendix Q		
Design Rules for Clamp Connections		
Q-1000	Design Rules for Clamp Connections.....	338
Q-1100	Introduction.....	338
 Figures		
Q-1130-1	Typical Hub and Clamp.....	339
Q-1130-2	Typical Clamp Lug Configurations	340
 Table		
Q-1180-1	Allowable Design Stress for Clamp Connections.....	344
 Appendix R		
Determination of Permissible Lowest Service Metal Temperature From T_{NDT} for Classes 2 and MC Construction		
R-1000	Determination of Permissible Lowest Service Metal Temperatures From T_{NDT} for Classes 2 and MC Construction	345

R-1100	Introduction	345
R-1200	Determination of Permissible Lowest Service Metal Temperature	345
Figure		
R-1200-1	Determination of Permissible Lowest Service Metal Temperature	346
Appendix S		
Pump Shaft Design Methods		347
S-1000	Pump Shaft Design Methods	347
S-1100	Introduction	347
S-1200	Scope	347
S-1300	Design Requirements	347
S-1400	Responsibility	347
S-1500	Operating Loads	347
S-1600	Shaft Failure Modes	348
S-2000	Design Procedure	350
S-2100	Critical Speeds	350
S-2200	Maximum Torsional Load	350
S-2300	Shaft Evaluation	350
S-2400	Other Considerations	352
Figures		
S-1600-1	Typical Centrifugal Pump Shaft Failure Locations	349
S-2300-1	Steps in the Design of a Pump Shaft	351
Appendix T		
Recommended Tolerances for Reconciliation of Piping Systems		353
T-1000	Recommended Tolerances for Reconciliation of Piping Systems	353
T-1100	Introduction	353
T-1200	Total Tolerances	356
Figures		
T-1213-1	Illustrations of Angular Dimensions — Pipe Legs, Valves, Supports, Bends	355
T-1213-2	Illustrations of Linear Dimensions	357
Table		
T-1222-1	Branch/Run Size Combinations	358
Appendix U		
Rules for Pump Internals		360
U-1000	Rules for Pump Internals	360
U-1100	Introduction	360
U-1200	General Requirements	360
U-1300	Materials	360
U-1400	Fabrication Requirements	362
Figures		
U-1500-1	Typical for Type A, C, E, F, and/or Some J (NB-3400) Pumps	367
U-1500-2	Typical Type B and D Pumps (NC and ND-3400)	368
U-1500-3	Typical for Type G and H Pumps (NC and ND-3400)	369
U-1500-4	Typical for Type K Pumps (NC and ND-3400)	370
U-1500-5	Typical for Type L Pumps (NC and ND-3400)	371
U-1500-6	Reciprocating Plunger Pump (NC and ND-3400)	372
U-1500-7	Typical Type A or C Pumps (NC and ND-3400)	374

Tables		
U-1600-1	Summary of Requirements	366
U-1610-1	Materials for Pump Internal Items for Class 1, 2, and 3 Pumps	375
Appendix W	Environmental Effects on Components	378
W-1000	Environmental Effects on Components.....	378
W-1100	Introduction.....	378
W-1200	Section XI and Plex Applications	378
W-2000	Summaries of Corrosion Damage Mechanisms	379
W-2100	Stress Corrosion Cracking	379
W-2200	General Corrosion and Wastage.....	381
W-2300	Pitting Corrosion	383
W-2400	Crevice Corrosion and Denting	384
W-2500	Intergranular Corrosion Attack.....	386
W-2600	Microbiologically-Induced Corrosion and Fouling.....	388
W-2700	Corrosion Fatigue and Crack Growth.....	389
W-2800	Flow Accelerated Corrosion	391
W-2900	Erosion and Erosion-Corrosion.....	393
W-3000	Summaries of Embrittlement Damage Mechanisms	396
W-3100	Irradiation-Assisted Stress Corrosion Cracking (IASCC).....	396
W-3200	Thermal Aging Embrittlement	397
W-3300	Radiation Embrittlement	399
W-3400	Hydrogen Damage Embrittlement and Delayed Cracking	399
W-4000	Summaries of Other Damage Mechanisms	401
W-4100	Fretting and Wear	401
W-4200	Thermal Fatigue.....	402
W-4300	Dynamic Loading — Vibration, Water Hammer, and Unstable Fluid Flow.....	402
W-4400	Creep	402
Figure		
W-2100-1	Environmental Conditions Required for SCC.....	379
Appendix Y	Evaluation of the Design of Rectangular and Hollow Circular Cross Section Welded Attachments on Class 1, 2, and 3 Piping	405
Y-1000	Evaluation of the Design of Rectangular and Hollow Circular Cross Section Welded Attachment on Class 1, 2, and 3 Piping	405
Y-1100	Introduction.....	405
Y-2000	Procedure for Evaluation of the Design of Rectangular Cross Section Attachments on Class 1 Piping	406
Y-2100	Introduction.....	406
Y-2200	Limitations to Applicability.....	406
Y-2300	Nomenclature and Definitions.....	406
Y-2400	Evaluation Procedure	407
Y-2500	Analysis Documentation	408
Y-3000	Procedure for Evaluation of the Design of Rectangular Cross Section Attachments on Class 2 or 3 Piping.....	409
Y-3100	Introduction.....	409
Y-3200	Limitations to Applicability.....	409
Y-3300	Nomenclature and Definitions.....	409
Y-3400	Evaluation Procedure	410
Y-3500	Analysis Documentation	411
Y-4000	Procedure for Evaluation of the Design of Hollow Circular Cross Section Welded Attachments on Class 1 Piping.....	412

Y-4100	Introduction	412
Y-4200	Limitations to Applicability	412
Y-4300	Nomenclature and Definitions	412
Y-4400	Evaluation Procedure	413
Y-4500	Analysis Documentation	414
Y-5000	Procedure for Evaluation of the Design of Hollow Circular Cross Section Welded Attachments on Class 2 and 3 Piping	415
Y-5100	Introduction	415
Y-5200	Limitations to Applicability	415
Y-5300	Nomenclature and Definitions	415
Y-5400	Evaluation Procedure	416
Y-5500	Analysis Documentation	417
Figures		
Y-2300-1	Nomenclature Illustration	406
Y-3300-1	Nomenclature Illustration	409
Y-4200-1	Weld Type Illustration	412
Y-4300-1	Nomenclature Illustration	412
Y-5300-1	Nomenclature Illustration	416
Appendix Z		
	Interruption of Code Work	418
Z-1000	Interruption of Code Work	418
Z-1100	Introduction	418
Z-1200	Definitions	418
Z-1300	Documentation	418
Z-1400	Other Considerations	418
Z-1500	Resumption of Code Activities	418
Appendix AA		
	Guidance for the Use of U.S. Customary and SI Units in the ASME Boiler and Pressure Vessel Code	420
AA-1000	Use of Units in Equations	420
AA-2000	Guidelines Used to Develop SI Equivalents	420
AA-3000	Soft Conversion Factors	422
Appendix BB		
	Metallic Braided Flexible Hose for Class 2 and 3 Service	423
BB-1000	Scope	423
BB-1100	Rules	423
BB-2000	Material	424
BB-2100	Sheaths, End Pieces, and Braids	424
BB-3000	Design	425
BB-3100	Design Factors	425
BB-3200	General Design Requirements	425
BB-3300	Special Design Requirements	425
BB-4000	Fabrication	427
BB-4100	Requirements	427
BB-5000	Examination	428
BB-5100	Procedures	428
BB-6000	Testing	429
BB-6100	Hydrostatic and Pneumatic Testing	429
BB-7000	Certification	430
BB-7100	Provisions	430
Figure		
BB-3300-1	Bellows Configuration and Wrap Angle, α	426