ASME BTH-1–2014
(Revision of ASME BTH-1–2011)

Design of Below-the-Hook Lifting Devices

AN AMERICAN NATIONAL STANDARD

The American Society of Mechanical Engineers

ASME BTH-1–2014
(Revision of ASME BTH-1–2011)

Design of Below-the-Hook Lifting Devices

AN AMERICAN NATIONAL STANDARD

The American Society of Mechanical Engineers

Two Park Avenue • New York, NY • 10016 USA

Date of Issuance: October 29, 2014

The next edition of this Standard is scheduled for publication in 2017. This Standard will become effective 1 year after the Date of Issuance.

ASME issues written replies to inquiries concerning interpretations of technical aspects of this Standard. Interpretations may be accessed as they are issued at http://go.asme.org/interpretations. They are published on the ASME Web site under the Committee Pages at http://cstools.asme.org/.

Errata to codes and standards may be posted on the ASME Web site under the Committee Pages to provide corrections to incorrectly published items, or to correct typographical or grammatical errors in codes and standards. Such errata shall be used on the date posted.

The Committee Pages can be found at http://cstools.asme.org/. There is an option available to automatically receive an e-mail notification when errata are posted to a particular code or standard. This option can be found on the appropriate Committee Page after selecting "Errata" in the "Publication Information" section.

ASME is the registered trademark of The American Society of Mechanical Engineers.

This code or standard was developed under procedures accredited as meeting the criteria for American National Standards. The Standards Committee that approved the code or standard was balanced to assure that individuals from competent and concerned interests have had an opportunity to participate. The proposed code or standard was made available for public review and comment that provides an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ASME does not "approve," "rate," or "endorse" any item, construction, proprietary device, or activity.

ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable letters patent, nor assumes any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representative(s) or person(s) affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility for only those interpretations of this document issued in accordance with the established ASME procedures and policies, which precludes the issuance of interpretations by individuals.

No part of this document may be reproduced in any form,
in an electronic retrieval system or otherwise,
without the prior written permission of the publisher.

The American Society of Mechanical Engineers
Two Park Avenue, New York, NY 10016-5990

Copyright © 2014 by
THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS
All rights reserved
Printed in U.S.A.

CONTENTS

Foreword v
Committee Roster vi
Correspondence With the BTH Committee vii
Summary of Changes viii

Chapter 1 Scope, Definitions, and References 1
1-1 Purpose 1
1-2 Scope 1
1-3 New and Existing Devices 1
1-4 General Requirements 1
1-5 Definitions 2
1-6 Symbols 4
1-7 References 7

Chapter 2 Lifter Classifications 9
2-1 General 9
2-2 Design Category 9
2-3 Service Class 9

Chapter 3 Structural Design 10
3-1 General 10
3-2 Member Design 10
3-3 Connection Design 15
3-4 Fatigue Design 18
3-5 Other Design Considerations 32

Chapter 4 Mechanical Design 33
4-1 General 33
4-2 Sheaves 33
4-3 Wire Rope 34
4-4 Drive Systems 34
4-5 Gearing 34
4-6 Bearings 36
4-7 Shafting 37
4-8 Fasteners 38
4-9 Grip Support Force 39
4-10 Vacuum Lifting Device Design 39
4-11 Fluid Power Systems 40
4-12 Lifting Magnets 40

Chapter 5 Electrical Components 41
5-1 General 41
5-2 Electric Motors and Brakes 41
5-3 Operator Interface 41
5-4 Controllers and Auxiliary Equipment 42
5-5 Grounding 43
5-6 Power Disconnects 43
5-7 Batteries 43

Figures

4-2.6-1	Sheave Dimensions	33
4-2.7-1	Sheave Gap	33
4-9.2-1	Illustration of Holding and Support Forces	39

Tables

2-3-1	Service Class	9
3-2.2-1	Limiting Width–Thickness Ratios for Compression Elements	11
3-3.4.2-1	Minimum Effective Throat Thickness of Partial-Penetration Groove Welds	17
3-3.4.3-1	Minimum Sizes of Fillet Welds	18
3-4.3-1	Allowable Stress Ranges, ksi (MPa)	19
3-4.4-1	Fatigue Design Parameters	20
4-5.3-1	Strength Factors for Calculating Load Capacity (American Standard Tooth Forms)	35
4-6.2-1	L_{10} Life	36
4-7.5-1	Key Size Versus Shaft Diameter (ASME B17.1)	38
4-7.5-2	Key Size Versus Shaft Diameter (DIN 6885-1)	38
4-7.6.1-1	Fatigue Stress Amplification Factors	38

Nonmandatory Appendices

A	Commentary for Chapter 1: Scope, Definitions, and References	45
B	Commentary for Chapter 2: Lifter Classifications	49
C	Commentary for Chapter 3: Structural Design	51
D	Commentary for Chapter 4: Mechanical Design	60
E	Commentary for Chapter 5: Electrical Components	63