

# ASME International Steam Tables for Industrial Use

---

ASME Press  
THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS  
Three Park Avenue, New York, NY 10016

Cumulative as of August 7, 2002

## ERRATA

### *Pages 42-43, Figures A-2 and A-4*

Correct uppermost labels on pressure axes to read  $10^2$  (not  $10^{-2}$ )

### *Page 48, Equations (B-17a) and (B-17b)*

Correct equations to read as follows:

$$S = 1/\Delta\bar{T} \quad \text{for} \quad \bar{T} \geq 1$$

$$S = \frac{C_6}{\Delta\bar{T}^{0.6}} \quad \text{for} \quad \bar{T} < 1$$

### *Page 51, References*

Correct reference [9] as follows:

- [9] Wagner, W., and Pruß, A., "The IAPWS Formulation 1995 for the Thermodynamic Properties of Ordinary Water Substance for General and Scientific Use," *J. Phys. Chem. Ref. Data*, **31**, 387-535 (2002).

### *Page 154, Figure S-3, Kinematic Viscosity*

Correct labeling on the vertical axis as follows:

vertical axis labels should be multiplied by  $10^{-6}$   
(vertical axis extends from  $10^{-7} \text{ m}^2\cdot\text{s}^{-1}$  to  $2\times 10^{-3} \text{ m}^2\cdot\text{s}^{-1}$ )

### *Page 275, Figure U-3, Kinematic Viscosity*

Correct labeling on the vertical axis as follows:

vertical axis labels should be multiplied by  $10^{-6}$   
(vertical axis extends from  $10^{-6} \text{ ft}^2\cdot\text{s}^{-1}$  to  $3\times 10^{-2} \text{ ft}^2\cdot\text{s}^{-1}$ )

Please check <http://www.asme.org/research/wsts/pubs.html> for the posting of additional Errata.