

ASME PTC 19.3 TW-2010

Thermowells

Performance Test Codes

AN AMERICAN NATIONAL STANDARD



Three Park Avenue • New York, NY • 10016 USA

CONTENTS

Foreword	v
Acknowledgments	v
Committee Roster	vi
Correspondence With the PTC Committee	vii
Section 1 Object and Scope	1
1-1 Object	1
1-2 Scope	1
Section 2 Nomenclature	2
Section 3 Jurisdiction of Codes	4
3-1 Reference Standards and Governing Codes	4
3-2 Specification of Thermowells	4
Section 4 Dimensions	5
4-1 Configurations	5
4-2 Dimensional Limits	5
Section 5 Materials	10
5-1 General Considerations	10
Section 6 Stress Equations	11
6-1 General Considerations	11
6-2 Corrosion and Erosion	11
6-3 Flow-Induced Thermowell Stresses	12
6-4 Strouhal Number, Drag Coefficients, and Lift Coefficient	13
6-5 Natural Frequency of Thermowells	14
6-6 Mounting Compliance Factor	15
6-7 Unsupported Length, Diameter, and Fillet Radius	16
6-8 Frequency Limit	18
6-9 Magnification Factor	21
6-10 Bending Stresses	21
6-11 Pressure and Shear Stresses	24
6-12 Steady-State Static and Dynamic Stress Limits	24
6-13 Pressure Limit	27
Section 7 Overview of Calculations	28
7-1 Quantitative Criteria	28
7-2 Fluid Properties	28
7-3 Fluid Velocity	28
7-4 Material Properties and Dimensions	28
7-5 Reynolds and Strouhal Numbers	29
7-6 Natural Frequency at Operation Temperature	29
7-7 Natural Frequency at Expected Mode of Operation	29
7-8 Steady-State and Dynamic Stresses	29
7-9 Allowable Fatigue Limits	29
7-10 Pressure Rating	29
Section 8 Examples	30
8-1 Tapered, Welded Thermowell for a Steam-Header Application (U.S. Customary Units)	30
8-2 Step-Shank, Threaded Thermowell for a Hot Water Application (SI Units)	33

Section 9	Statement of Compliance	39
9-1	Specification of a Thermowell	39
9-2	Velocity and Pressure Ratings	39
Section 10	References	40
10-1	Referenced Documents	40
10-2	Referenced ASME Documents	40
Figures		
4-1-1	Schematic Diagram of a Thermowell	6
4-1-2	Examples of Straight-Shank Thermowells	7
4-1-3	Examples of Step-Shank Thermowells	8
4-1-4	Examples of Tapered Thermowells	9
6-3.1-1	Fluid-Induced Forces and Assignment of Axes for Calculation of Thermowell Stresses	12
6-6-1	Unsupported Length of Thermowells	17
6-8.1-1	Schematic Indicating Excitation of Resonances When Excitation Frequency Coincides With the Thermowell Natural Frequency	19
6-8.1-2	Schematic Showing the Amplitude Response of a Thermowell Subjected to Fluid-Induced Forces as Solid Lines, for In-Line and Transverse Excitation Modes	19
6-10.1-1	Bending Moment, Stress at the Support Plane, and Locations of Maximum Steady-State or Oscillating In-Line Stress	22
6-10.7-1	Mounting of a Thermowell in an Elbow, With the Tip Facing Downstream	24
6-10.7-2	Geometry to Be Used in Calculation of Thermowell Ratings	25
6-10.7-3	Mounting of a Thermowell in an Elbow, With the Tip Facing Upstream	25
Tables		
4-1-1	Dimensional Limits for Straight and Tapered Thermowells Within the Scope of This Standard	7
4-2-1	Dimensional Limits for Step-Shank Thermowells Within the Scope of This Standard	8
6-5.3-1	Parameters for Natural Frequency Calculation for Step-Shank Thermowells	15
6-12.3-1	Allowable Fatigue-Stress Amplitude Limits for Material Class A and Class B	26
Nonmandatory Appendix		
A	Conversion Factors	41