

ASME B30.9-2010
(Revision of ASME B30.9-2006)

Slings

**Safety Standard for Cableways, Cranes,
Derricks, Hoists, Hooks, Jacks, and Slings**

AN AMERICAN NATIONAL STANDARD



**The American Society of
Mechanical Engineers**

ASME B30.9-2010
(Revision of ASME B30.9-2006)

Slings

**Safety Standard for Cableways, Cranes,
Derricks, Hoists, Hooks, Jacks, and Slings**

AN AMERICAN NATIONAL STANDARD



**The American Society of
Mechanical Engineers**

Three Park Avenue • New York, NY • 10016 USA

Date of Issuance: January 18, 2011

The next edition of this Standard is scheduled for publication in 2013. This Standard will become effective 1 year after the Date of Issuance. There will be no addenda issued to this edition.

ASME issues written replies to inquiries concerning interpretations of technical aspects of this Standard. Interpretations are published on the ASME Web site under the Committee Pages at <http://cstools.asme.org> as they are issued. Interpretations will also be included with each edition.

ASME is the registered trademark of The American Society of Mechanical Engineers.

This code or standard was developed under procedures accredited as meeting the criteria for American National Standards. The Standards Committee that approved the code or standard was balanced to assure that individuals from competent and concerned interests have had an opportunity to participate. The proposed code or standard was made available for public review and comment that provides an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ASME does not “approve,” “rate,” or “endorse” any item, construction, proprietary device, or activity.

ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable letters patent, nor assume any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representative(s) or person(s) affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility for only those interpretations of this document issued in accordance with the established ASME procedures and policies, which precludes the issuance of interpretations by individuals.

No part of this document may be reproduced in any form,
in an electronic retrieval system or otherwise,
without the prior written permission of the publisher.

The American Society of Mechanical Engineers
Three Park Avenue, New York, NY 10016-5990

Copyright © 2010 by
THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS
All rights reserved
Printed in U.S.A.

CONTENTS

Foreword	vi
Committee Roster	vii
B30 Standard Introduction	ix
Summary of Changes	xii
Chapter 9-0 Scope, Definitions, and References	1
Section 9-0.1 Scope of ASME B30.9	1
Section 9-0.2 Definitions	1
Section 9-0.3 References	3
Chapter 9-1 Alloy Steel Chain Slings: Selection, Use, and Maintenance	4
Section 9-1.0 Scope	4
Section 9-1.1 Training	4
Section 9-1.2 Materials and Components	4
Section 9-1.3 Fabrication and Configurations	4
Section 9-1.4 Design Factor	4
Section 9-1.5 Rated Loads	4
Section 9-1.6 Proof Test Requirements	7
Section 9-1.7 Sling Identification	7
Section 9-1.8 Effects of Environment	7
Section 9-1.9 Inspection, Removal, and Repair	7
Section 9-1.10 Operating Practices	10
Chapter 9-2 Wire Rope Slings: Selection, Use, and Maintenance	12
Section 9-2.0 Scope	12
Section 9-2.1 Training	12
Section 9-2.2 Materials and Components	12
Section 9-2.3 Fabrication and Configurations	12
Section 9-2.4 Design Factor	13
Section 9-2.5 Rated Load	13
Section 9-2.6 Proof Test Requirements	14
Section 9-2.7 Sling Identification	24
Section 9-2.8 Effects of Environment	24
Section 9-2.9 Inspection, Removal, and Repair	24
Section 9-2.10 Operating Practices	25
Chapter 9-3 Metal Mesh Slings: Selection, Use, and Maintenance	27
Section 9-3.0 Scope	27
Section 9-3.1 Training	27
Section 9-3.2 Materials and Components	27
Section 9-3.3 Fabrication and Configurations	27
Section 9-3.4 Design Factor	27
Section 9-3.5 Rated Load	27
Section 9-3.6 Proof Test Requirements	30
Section 9-3.7 Sling Identification	30
Section 9-3.8 Effects of Environment	30
Section 9-3.9 Inspection, Removal, and Repair	30
Section 9-3.10 Operating Practices	31
Chapter 9-4 Synthetic Rope Slings: Selection, Use, and Maintenance	32
Section 9-4.0 Scope	32
Section 9-4.1 Training	32

Section 9-4.2	Materials and Components	32
Section 9-4.3	Fabrication and Configurations	32
Section 9-4.4	Design Factor	33
Section 9-4.5	Rated Load	33
Section 9-4.6	Proof Test Requirements	39
Section 9-4.7	Sling Identification	39
Section 9-4.8	Effects of Environment	40
Section 9-4.9	Inspection, Removal, and Repair	40
Section 9-4.10	Operating Practices	41
Chapter 9-5	Synthetic Webbing Slings: Selection, Use, and Maintenance	43
Section 9-5.0	Scope	43
Section 9-5.1	Training	43
Section 9-5.2	Materials and Components	43
Section 9-5.3	Fabrication and Configurations	43
Section 9-5.4	Design Factor	43
Section 9-5.5	Rated Load	43
Section 9-5.6	Proof Test Requirements	46
Section 9-5.7	Sling Identification	49
Section 9-5.8	Effects of Environment	49
Section 9-5.9	Inspection, Removal, and Repair	49
Section 9-5.10	Operating Practices	50
Chapter 9-6	Synthetic Roundslings: Selection, Use, and Maintenance	52
Section 9-6.0	Scope	52
Section 9-6.1	Training	52
Section 9-6.2	Materials and Components	52
Section 9-6.3	Fabrication and Configurations	52
Section 9-6.4	Design Factor	52
Section 9-6.5	Rated Load	52
Section 9-6.6	Proof Test Requirements	55
Section 9-6.7	Sling Identification	55
Section 9-6.8	Effects of Environment	55
Section 9-6.9	Inspection, Removal, and Repair	57
Section 9-6.10	Operating Practices	58
Figures		
9-1.0-1	Alloy Steel Chain Slings: Configurations, Components, and Hitches	5
9-2.0-1	Wire Rope	12
9-2.3.2-1	Minimum Sling Length	13
9-2.3.2-2	Minimum Braided Sling Length	13
9-2.5.1-1	Angle of Loading	14
9-2.5.1-2	<i>D/d</i> Ratio	14
9-2.5.4-1	Angle of Choke	24
9-2.9.4-1	Cable-Laid Wire Rope Sling	25
9-3.0-1	Metal Mesh Sling	28
9-4.0-1	Synthetic Fiber Rope Slings	33
9-4.5.1-1	Hitch Types for Synthetic Rope Slings	34
9-4.5.1-2	Angle of Loading	36
9-4.5.1-3	<i>D/d</i> Ratio	36
9-4.5.4-1	Angle of Choke	39
9-5.0-1	Synthetic Webbing Slings	44
9-5.0-2	Synthetic Webbing Sling Nomenclature	44
9-5.5.1-1	Angle of Loading	45
9-5.5.4-1	Angle of Choke	49
9-6.0-1	Synthetic Roundslings	53
9-6.5.1-1	Angle of Loading	54
9-6.5.4-1	Angle of Choke	57

Tables

9-1.5.2-1	Rated Load for Grade 80 Alloy Steel Chain Slings — Vertical, Basket, and Bridle Hitches	6
9-1.5.2-2	Rated Load for Grade 100 Alloy Steel Chain Slings — Vertical, Basket, and Bridle Hitches	6
9-1.5.4-1	Rated Load for Grade 80 Alloy Steel Chain Slings — Choker Hitches	8
9-1.5.4-2	Rated Load for Grade 100 Alloy Steel Chain Slings — Choker Hitches	8
9-1.8.1-1	Effect of Elevated Temperature on Rated Load of Alloy Steel Chain	9
9-1.9.4-1	Minimum Allowable Thickness at Any Point on a Link	10
9-2.5.2-1	Rated Load for Single- and Two-Leg Slings 6 × 19 or 6 × 36 Classification Extra Improved Plow Steel (EIPS) Grade Fiber Core (FC) Wire Rope	15
9-2.5.2-2	Rated Load for Three- and Four-Leg Slings 6 × 19 or 6 × 36 Classification Extra Improved Plow Steel (EIPS) Grade Fiber Core (FC) Wire Rope	16
9-2.5.2-3	Rated Load for Single- and Two-Leg Slings 6 × 19 or 6 × 36 Classification Extra Improved Plow Steel (EIPS) Grade Independent Wire Rope Core (IWRC) Wire Rope	17
9-2.5.2-4	Rated Load for Three- and Four-Leg Slings 6 × 19 or 6 × 36 Classification Extra Improved Plow Steel (EIPS) Grade Independent Wire Rope Core (IWRC) Wire Rope	18
9-2.5.2-5	Rated Load for Single- and Two-Leg Slings 6 × 19 or 6 × 36 Classification Extra Extra Improved Plow Steel (EEIPS) Grade Independent Wire Rope Core (IWRC) Wire Rope	19
9-2.5.2-6	Rated Load for Three- and Four-Leg Slings 6 × 19 or 6 × 36 Classification Extra Extra Improved Plow Steel (EEIPS) Grade Independent Wire Rope Core (IWRC) Wire Rope	20
9-2.5.2-7	Rated Load for Cable-Laid Wire Rope Single- and Two-Leg Slings Mechanical Splice Only	21
9-2.5.2-8	Rated Load for Six-Part Braided Single- and Two-Leg Slings 6 × 19 or 6 × 36 Classification Extra Improved Plow Steel (EIPS) Grade Independent Wire Rope Core (IWRC) Wire Rope	22
9-2.5.2-9	Rated Load for Eight-Part Braided Single- and Two-Leg Slings 6 × 19 or 6 × 36 Classification Extra Improved Plow Steel (EIPS) Grade Independent Wire Rope Core (IWRC) Wire Rope	23
9-3.2.1-1	Fabric Construction (Metal Mesh Slings)	28
9-3.5.2-1	Rated Load for Metal Mesh Slings	29
9-4.5.2-1	Nylon Rope Slings	37
9-4.5.2-2	Polyester Rope Slings	38
9-5.5.2-1	Rated Load for One-Ply, Class 5 Synthetic Webbing Slings	46
9-5.5.2-2	Rated Load for Two-Ply, Class 5 Synthetic Webbing Slings	47
9-5.5.2-3	Rated Load for One-Ply, Class 7 Synthetic Webbing Slings	47
9-5.5.2-4	Rated Load for Two-Ply, Class 7 Synthetic Webbing Slings	48
9-5.5.2-5	Rated Load for Four-Ply, Class 7 Synthetic Webbing Slings	48
9-6.5.2-1	Rated Load for Single-Leg Polyester Roundslings — Endless and Eye-and-Eye Type	56