#### **ASME BPE-2009**

(Revision of ASME BPE-2007)

## Bioprocessing Equipment

AN INTERNATIONAL STANDARD





### **ASME BPE-2009**

(Revision of ASME BPE-2007)

# Bioprocessing Equipment

AN INTERNATIONAL STANDARD





Date of Issuance: October 20, 2009

The next edition of this Standard is scheduled for publication in 2012. There will be no addenda issued to this edition.

ASME issues written replies to inquiries concerning interpretations of technical aspects of this Standard. Periodically, certain actions of the ASME BPE Committee may be published as Code Cases. Code Cases and interpretations are published on the ASME Web site under the Committee Pages at http://cstools.asme.org as they are issued.

ASME is the registered trademark of The American Society of Mechanical Engineers.

This code or standard was developed under procedures accredited as meeting the criteria for American National Standards. The Standards Committee that approved the code or standard was balanced to assure that individuals from competent and concerned interests have had an opportunity to participate. The proposed code or standard was made available for public review and comment that provides an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ASME does not "approve," "rate," or "endorse" any item, construction, proprietary device, or activity.

ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable letters patent, nor assume any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representative(s) or person(s) affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility for only those interpretations of this document issued in accordance with the established ASME procedures and policies, which precludes the issuance of interpretations by individuals.

No part of this document may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

The American Society of Mechanical Engineers Three Park Avenue, New York, NY 10016-5990

Copyright © 2009 by THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS All rights reserved Printed in U.S.A.

#### **CONTENTS**

Foreword		ix
Statements	s of Policy	х
	e Roster	xi
	of Changes	XV
Part GR	General Requirements	1
GR-1	Introduction	1
GR-1 GR-2	Scope	1
GR-3	Inspection	1
GR-4	Inspector/Examiner	1
GR-5	Responsibilities	3
GR-6	Access for Inspectors	3
GR-7	Manufacturer's Quality Assurance Program	3
GR-8	Metric	3
GR-9	References	3
GR-9 GR-10	Terms and Definitions	<i>5</i>
GR-10	Terms and Deminions	/
Part SD	Design for Sterility and Cleanability	14
SD-1	Introduction	14
SD-2	Scope and Purpose	14
SD-3	General Guidelines	14
SD-4	Specific Guidelines	18
SD-5	Testing	37
SD-6	Documentation	37
SD-7	Responsibilities	38
Part DT	Dimensions and Tolerances for Stainless Steel Automatic Welding and Hygienic Clamp Tube Fittings and Process Components	82
DT-1	Scope	82 82
DT-2 DT-3	Pressure Rating	82
	Marking	
DT-4	Materials	82 82
DT-5	Metal Thickness	82 82
DT-6 DT-7	Fitting Dimensions	83
	Telegranges	
DT-8 DT-9	Tolerances	83 83
DT-10	Welding Ends	83
	Hygienic Clamp Unions	
DT-11	Heat Treatment	83
DT-12	Surface Condition	84
DT-13 DT-14	Packaging	84 84
	Minimum Examination Requirements	
DT-V-1	Scope	84
DT-V-2	Pressure Rating	84
DT-V-3	Marking	84
DT-V-4	Materials	85 85
DT-V-5		85
DT-V-6 DT-V-7		O.F.
1 1 1 - 1/-/	Valve Dimension	85 ee
	Valve Dimension	85
DT-V-8 DT-V-9	Valve Dimension	

DT-V-10 DT-V-11	Hygienic Clamp Ends Surface Condition	85 85
Part MI	Material Joining.	108
MJ-1	Scope	108
MJ-2	Materials	108
-	Joining Processes and Procedures	108
MJ-3	. 0	
MJ-4	Weld Joint Design and Preparation	109
MJ-5	Filler Material	110
MJ-6	Weld Acceptance Criteria	110
MJ-7	Inspection, Examination, and Testing	110
MJ-8	Procedure Qualification	117
MJ-9	Performance Qualification	117
MJ-10	Documentation Requirements	118
MJ-11	Passivation	119
Part SF	Stainless Steel and Higher Alloy Product Contact Surface Finishes	120
SF-1	Scope	120
SF-2	Objective	120
SF-3	Applications	120
SF-4	Material	120
SF-5	Inspection and Techniques Employed in the Classification of Product Contact Surface Finishes	120
SF-6	Surface Condition	120
SF-7	Electropolishing Procedure Qualification	120
SF-8	Passivation Procedure	123
SF-9	Normative References	123
SF-10	Rouge and Stainless Steel	123
SF-P-1	<u> </u>	123
SF-P-2	Scope	124
	Objective	124
SF-P-3	Applications	
SF-P-4	Materials	124
SF-P-5	Inspection and Techniques Employed in the Classification of Product Contact Surface Finishes	124
SF-P-6	Surface Condition	124
Part SG	Equipment Seals	126
SG-1	Scope and Purpose	126
SG-2	Seal Classes	126
SG-3	General Provisions for Seals in Bioprocessing Service: User Basic Design	
	Requirement	127
SG-4	Special Provisions for Seals in Bioprocessing Service	131
Part PM	Polymer-Based Materials	144
PM-1	Introduction	144
PM-2	Design Considerations for Polymeric Piping, Tubing, Fittings, Valve Bodies, and Other Components	144
PM-3	Polymer Material Joining	146
PM-4	Polymer Interior Product Contact Surfaces of Piping, Tubing, Fittings, Valve Bodies, and Coated or Lined Vessels	150
PM-5	Materials of Construction	150
PM-6	Elastomer Performance Properties	151
PM-7		
PM-7 PM-8	Single-Use Components and Assemblies	151 153
	Hose Assemblies	133
Part CR	Certification	155
CR-1	Introduction	155
CR-2	General	155
CR-3	Acquiring an ASME BPE Certificate	157

CR-4	Requirements Subject to Change	158
Part MMOC	Metallic Materials of Construction	159
MMOC-1	General	159
MMOC-2	Alloy Designations	159
MMOC-3	Uses of Specifications	159
MMOC-4	Referenced Specifications	161
MMOC-5	Fabrication	163
MMOC-6	Mechanical Properties	166
MMOC-7	Corrosion Resistance Requirements	166
MMOC-8	Surface Finish Requirements	167
MMOC-9	Unlisted Alloys	167
Figures		
SD-1	Hygienic Connections	39
SD-2	Nonhygienic Connections	40
SD-3	Flat Gasket Applications	41
SD-4	Recommended and Preferred Drop Designs	42
SD-5	Double Block-and-Bleed Valve Assembly	43
SD-6	Instrument Location Detail: Hygienic Design	44
SD-7-1	Flexible Hygienic Hose Design	45
SD-7-2	Pump Impeller Configurations	45
SD-7-3	Acceptable Impeller Attachments	46
SD-7-4	Casing Drain Configurations	46
SD-7-5	Casing Drain <i>L/D</i> Ratios	47
SD-8	Tank/Vessel Vent Filters	47
SD-9	Nozzle Design	48
SD-10	Sidewall Instrument Ports	49
SD-11	Dip Tube	49
SD-12	Vessel Design Tangential Nozzles	50
SD-13	Vessel Sight Glass Design	51
SD-14	Side and Bottom Connections	52
SD-15	Agitator Mounting Flanges	53
SD-16	Sight Glass Design	54
SD-17	Internal Support Members	55
SD-18	Mitered Fittings	56
SD-19	Typical Nozzle Detail	56
SD-20	Double Tubesheet Heat Exchanger Bonnet Design	57
SD-21-1	Shaft Coupling Construction	58
SD-21-2	Shaft Coupling Seal Arrangements	59
SD-21-3	Fastener Seal Arrangements	60
SD-21-4	Shaft Steady Bearing	61
SD-21-5	Magnetically Coupled Mixer (Typical Bottom-Mount)	62
SD-21-6	Double Mechanical Cartridge Seal With Debris Well	63
SD-22-1	Typical Clean Steam System Isometric	64
SD-22-2	Clean Steam Point-of-Use Design	65
SD-22-3	Steam Traps for Clean Steam Systems	65
SD-23-1	Point-of-Use Piping	66
SD-23-2	Physical Break in Point-of-Use Piping	67
SD-23-3	Static Spray Device	67
SD-23-4	CIP Looped Header (Supply or Return)	68
SD-23-5	Zero-Static Chain	68
SD-23-6	Swing Elbow Arrangement	69
SD-24	Transfer Panel Tolerances	70
SD-25	Transfer Panel Looped Headers	71
SD-26	Transfer Panel Jumpers	72
SD-27-1	Fermentor Sterile Envelope	73
SD-27-2	Bioreactor Sterile Envelope	74

SD-28-1	Gas Sparging Assembly — Lance	74
SD-28-2	Gas Sparging Assembly — Sintered	75
SD-28-3	Gas Sparging Assembly — Ring	76
SD-28-4	Gas Sparging Assembly — Single Orifice	76
SD-29-1	Exhaust Gas Condenser	77
SD-29-2	Exhaust Gas Heater	77
SD-30	Electrically Heat Traced Filter Housing	77
DT-1	Clamp Conditions at Installation	86
MJ-1		115
SG-1	•	133
SG-2		134
SG-2 SG-3		134
SG-4	·	135
SG-5		135 135
SG-6		136 136
SG-7		130 137
SG-8		137 138
	0	
SG-9		138
SG-10	71 0	139
SG-11	0 0 1 0 11	139
SG-12	1	139
SG-13	J	139
SG-14	71 0 1 0	140
SG-15		141
SG-16	71 1 0	141
SG-17	J1 0	142
SG-18	1 0	142
PM-1	1	149
CR-1	Options for Certification of Organizations	156
Tables		
GR-1	Inspector's Delegate Canabilities	1
SD-1	Inspector's Delegate Capabilities	4
3D-1	L/D Dimensions for Flow-Through Tee: Full-Size Standard Straight Tee	78
CD 2	With Blind Cap	70
SD-2		70
SD-3	Blind Cap	79 80
	Slope Designations for Gravity-Drained Lines	
SD-4	Annular Spacing Recommendations for Hygienic Dip Tubes	80
SD-5	Recommended Flow Rates to Achieve 5 ft/sec (1.52 m/s)	80
SD-6	Recommended Flow Rates to Static Spray Devices to Ensure Coverage	01
CD F	of Vertical Process Vessels	81
SD-7	Transfer Panel and Jumper Tolerances	81
DT-1	Nominal O.D. Tubing Sizes	87
DT-2	Hygienic Unions: Rated Internal Working Pressure	87
DT-3	Chemical Composition for Automatic Weld Ends, %	88
DT-4	Tangent Lengths	88
DT-5-1	Final Tolerances for Mechanically Polished Fittings and Process	
	Components	89
DT-5-2	Hygienic Clamp Ferrule Standard Dimensions and Tolerances	90
DT-5-3	Hygienic Clamp Ferrule: Design Criteria	92
	Final Tolerances for Electropolished Fittings and Process Components	93
DT-6		
DT-7	Automatic Tube Weld: 90-deg Elbow	93
DT-7 DT-8	Automatic Tube Weld: 90-deg Elbow	93 93
DT-7	Automatic Tube Weld: 90-deg Elbow Automatic Tube Weld: 45-deg Elbow Automatic Tube Weld: Straight Tee and Cross	93 93
DT-7 DT-8	Automatic Tube Weld: 90-deg Elbow Automatic Tube Weld: 45-deg Elbow Automatic Tube Weld: Straight Tee and Cross Automatic Tube Weld: Reducing Tee	93 93 94 94
DT-7 DT-8 DT-9	Automatic Tube Weld: 90-deg Elbow Automatic Tube Weld: 45-deg Elbow Automatic Tube Weld: Straight Tee and Cross	93 93 94

DT-13	Automatic Tube Weld: Hygienic Clamp Joint, 45-deg Elbow	96
DT-14	Automatic Tube Weld: Short Outlet Hygienic Clamp Joint	
	Reducing Tee	96
DT-15	Automatic Tube Weld: Short Outlet Hygienic Clamp Joint Tee	97
DT-16	Hygienic Clamp Joint: 90-deg Elbow	97
DT-17	Hygienic Clamp Joint: 45-deg Elbow	98
DT-18	Hygienic Clamp Joint: Straight Tee and Cross	98
DT-19	Hygienic Clamp Joint: Reducing Tee	99
DT-20	Hygienic Clamp Joint: Short Outlet Reducing Tee	100
DT-21	Hygienic Clamp Joint: Concentric and Eccentric Reducer	101
DT-22	Automatic Tube Weld: Ferrule	102
DT-23	Automatic Tube Weld: 180-deg Return Bend	103
DT-24	Hygienic Clamp Joint: 180-deg Return Bend	103
DT-25	Hygienic Mechanical Joint: Short Outlet Run Tee	104
DT-26	Hygienic Clamp Joint: Tube Weld Concentric and Eccentric Reducer	104
DT-27	Hygienic Clamp Joint: Short Outlet Tee	105
DT-28	Automatic Tube Weld: Instrument Tee	105
DT-29	Hygienic Clamp Joint: Instrument Tee	105
DT-30	Automatic Tube Weld: Cap	105
DT-31	Hygienic Clamp Joint: Solid End Cap	106
DT-V-1	Hygienic Clamp Joint: Weir Style Diaphragm Valve	107
MJ-1	Acceptance Criteria for Welds on Pressure Vessels and Tanks	111
MJ-2	Acceptance Criteria for Welds on Pipe	112
MJ-3	Acceptance Criteria for Welds on Tube	113
MJ-4	Acceptance Criteria for Tube-Attachment Welds	114
MJ-5	Tube/Pipe Diameter Limits for Orbital GTAW Performance	
	Qualification	117
MJ-6	Weld Thickness Limits for Orbital GTAW Performance Qualification	117
SF-1	Acceptance Criteria for Stainless Steel and Higher Alloy Mechanically	
	Polished Product Contact Surface Finishes	121
SF-2	Acceptance Criteria for Mechanically Polished and Electropolished Product Contact Surface Finishes	122
SF-3	R <sub>a</sub> Readings for Product Contact Surfaces	122
SF-4	Acceptance Criteria for Passivated Product Contact Surface Finishes	123
SF-P-1	Acceptance Criteria for Polymer Product Contact Surface Finishes	125
SF-P-2	$R_a$ Readings for Product Contact Surfaces	125
SG-1	Common Rotary Seal Materials for Biochemical and Sterile Service	143
PM-1	Size Comparison of Common Thermoplastic Sizing Standards	145
PM-2	Thermoset Elastomers Test Properties	152
MMOC-1	Wrought Stainless Steels: Nominal Compositions = (wt. %)	160
MMOC-2	Wrought Nickel Alloys: Nominal Compositions = (wt. %)	160
MMOC-3	Stainless Steel and Nickel Alloy Cast Designations	161
MMOC-4	Chemical Composition for 316L Automatic Weld Ends	164
MMOC-5	Filler Metals	165
MMOC-6	Consumable Inserts for Super-Austenitic and Duplex Stainless Steels	165
MMOC-7	Predicted Ferrite Number (FN) Ranges for	100
WINIOC 7	Various 316 Product Forms and Welds	166
Nonmandato	ory Appendices	
A	Commentary: Slag	169
В	Material Examination Log and Weld Log	170
C	Slope Measurement	175
D	Rouge and Stainless Steel	176
E	Passivation Procedure Qualification	185
F	Corrosion Testing	195
G	Ferrite	198
Н	Electropolishing Procedure Qualification	199

I	Vendor Documentation Requirements for New Instruments	201
J	Standard Process Test Conditions (SPTC) for Seal Performance	
	Evaluation	205
K	Interpretation of Elastomer Material Property Changes	209
Index		211