

**ASME BPE-2014**  
**(Revision of ASME BPE-2012)**

# **Bioprocessing Equipment**

---

**AN INTERNATIONAL STANDARD**



**The American Society of  
Mechanical Engineers**

**ASME BPE-2014**  
**(Revision of ASME BPE-2012)**

# **Bioprocessing Equipment**

---

**AN INTERNATIONAL STANDARD**



**The American Society of  
Mechanical Engineers**

Two Park Avenue • New York, NY • 10016 USA

Date of Issuance: October 10, 2014

The next edition of this Standard is scheduled for publication in 2016. This Standard will become effective 6 months after the Date of Issuance.

ASME issues written replies to inquiries concerning interpretations of technical aspects of this Standard. Periodically, certain actions of the ASME BPE Committee may be published as Cases. Cases and interpretations are published on the ASME Web site under the Committee Pages at <http://cstools.asme.org/> as they are issued.

Errata to codes and standards may be posted on the ASME Web site under the Committee Pages to provide corrections to incorrectly published items, or to correct typographical or grammatical errors in codes and standards. Such errata shall be used on the date posted.

The Committee Pages can be found at <http://cstools.asme.org/>. There is an option available to automatically receive an e-mail notification when errata are posted to a particular code or standard. This option can be found on the appropriate Committee Page after selecting “Errata” in the “Publication Information” section.

ASME is the registered trademark of The American Society of Mechanical Engineers.

This code or standard was developed under procedures accredited as meeting the criteria for American National Standards. The Standards Committee that approved the code or standard was balanced to assure that individuals from competent and concerned interests have had an opportunity to participate. The proposed code or standard was made available for public review and comment that provides an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ASME does not “approve,” “rate,” or “endorse” any item, construction, proprietary device, or activity.

ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable letters patent, nor assume any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representative(s) or person(s) affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility for only those interpretations of this document issued in accordance with the established ASME procedures and policies, which precludes the issuance of interpretations by individuals.

No part of this document may be reproduced in any form,  
in an electronic retrieval system or otherwise,  
without the prior written permission of the publisher.

The American Society of Mechanical Engineers  
Two Park Avenue, New York, NY 10016-5990

Copyright © 2014 by  
THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS  
All rights reserved  
Printed in U.S.A.

# CONTENTS

Foreword .....	ix	
Statements of Policy .....	xi	
Committee Roster .....	xii	
Summary of Changes .....	xvi	
<b>Part GR</b>	<b>General Requirements</b> .....	1
GR-1	Introduction .....	1
GR-2	Scope of the ASME BPE Standard .....	1
GR-3	Manufacturer’s Quality Assurance Program .....	1
GR-4	Inspection .....	2
GR-5	Documentation .....	6
GR-6	U.S. Customary and SI Units .....	8
GR-7	References .....	8
GR-8	Terms and Definitions .....	9
<b>Part SD</b>	<b>Systems Design</b> .....	17
SD-1	Purpose and Scope .....	17
SD-2	General Guidelines .....	17
SD-3	Process Components .....	19
SD-4	Process Utilities .....	59
SD-5	Process Systems .....	64
SD-6	Design Conformance Testing .....	89
<b>Part DT</b>	<b>Dimensions and Tolerances for Process Components</b> .....	90
DT-1	Purpose and Scope .....	90
DT-2	Pressure Rating .....	90
DT-3	Wall Thickness .....	90
DT-4	Dimensions .....	90
DT-5	Materials .....	91
DT-6	Tests .....	91
DT-7	Tolerances .....	91
DT-8	Weld Ends .....	91
DT-9	Hygienic Clamp Unions .....	91
DT-10	Minimum Examination Requirements .....	91
DT-11	Marking .....	92
DT-12	Packaging .....	93
<b>Part MJ</b>	<b>Materials Joining</b> .....	118
MJ-1	Purpose and Scope .....	118
MJ-2	Materials .....	118
MJ-3	Joint Design and Preparation .....	119
MJ-4	Joining Processes and Procedures .....	119
MJ-5	Procedure Qualifications .....	120
MJ-6	Performance Qualifications .....	120
MJ-7	Examination, Inspection, and Testing .....	121
MJ-8	Acceptance Criteria .....	122
MJ-9	Joining of Polymeric Materials .....	123
MJ-10	Documentation Requirements .....	125
MJ-11	Passivation .....	125
<b>Part SF</b>	<b>Process Contact Surface Finishes</b> .....	140
SF-1	Purpose and Scope .....	140

SF-2	Metallic Applications .....	140
SF-3	Polymeric Applications .....	143
<b>Part SG</b>	<b>Sealing Components</b> .....	145
SG-1	Purpose and Scope .....	145
SG-2	Sealing Component Types .....	145
SG-3	Sealing Components General Design Requirements (General Provisions) .....	161
SG-4	Seal Performance Requirements .....	167
SG-5	Seal Applications .....	169
<b>Part PM</b>	<b>Polymeric and Other Nonmetallic Materials</b> .....	170
PM-1	Purpose and Scope .....	170
PM-2	Materials .....	170
PM-3	Properties and Performance .....	172
PM-4	Applications .....	175
<b>Part CR</b>	<b>Certification</b> .....	182
CR-1	Purpose and Scope .....	182
CR-2	General .....	182
<b>Part MM</b>	<b>Metallic Materials</b> .....	187
MM-1	Purpose and Scope .....	187
MM-2	Alloy Designations .....	187
MM-3	Uses of Specifications .....	187
MM-4	Referenced Specifications .....	190
MM-5	Fabrication .....	192
MM-6	Mechanical Properties .....	197
MM-7	Corrosion Resistance Requirements .....	198
MM-8	Addition of New Alloys to Part MM .....	198
<b>Part PI</b>	<b>Process Instrumentation</b> .....	199
PI-1	Purpose and Scope .....	199
PI-2	Process Instrumentation General Requirements .....	199
PI-3	Instrument Receiving, Handling, and Storage .....	200
PI-4	Flowmeters .....	200
PI-5	Level Instruments .....	204
PI-6	Pressure Instruments .....	205
PI-7	Temperature Sensors and Associated Components .....	205
PI-8	Analytical Instruments .....	211
PI-9	Optical .....	218
<b>Figures</b>		
SD-3.1.1-1	Flat Gasket Applications .....	21
SD-3.1.2.2-1	Accepted Point-of-Use Designs .....	25
SD-3.1.2.3-1	Double Block-and-Bleed Valve Assembly .....	26
SD-3.2.1-1	Flexible Hygienic Hose Design .....	28
SD-3.3.2.2-1	Pump Impeller Configurations .....	29
SD-3.3.2.2-2	Acceptable Impeller Attachments .....	29
SD-3.3.2.2-3	Casing Drain Configurations .....	30
SD-3.3.2.2-4	Casing Drain <i>L/D</i> Ratios .....	30
SD-3.3.2.4-1	Rotary Lobe Pump Rotor Attachment .....	31
SD-3.4.2-1	Nozzle Design .....	32
SD-3.4.2-2	Side and Bottom Connections .....	33
SD-3.4.2-3	Sidewall Instrument Ports .....	33
SD-3.4.2-4	Accepted Nozzle Penetrations .....	34
SD-3.4.2-5	Vessel Design Tangential Nozzles .....	35
SD-3.4.2-6	Sight Glass Design (Accepted) .....	36
SD-3.4.2-7	Typical Nozzle Detail .....	37
SD-3.4.3-1	Internal Support Members .....	38

SD-3.5.1-1	Agitator Mounting Flanges .....	40
SD-3.5.2-1	Shaft Coupling Construction .....	41
SD-3.5.2-2	Shaft Coupling Seal Arrangements .....	42
SD-3.5.2-3	Fastener Seal Arrangements .....	43
SD-3.5.5-1	Shaft Steady Bearing .....	44
SD-3.5.5-2	Magnetically Coupled Mixer (Typical Bottom-Mount) .....	45
SD-3.6.1-1	Double Tubesheet Heat Exchanger Bonnet Design .....	46
SD-3.7.1-1	Transfer Panel Looped Headers .....	48
SD-3.7.2-1	Transfer Panel Tolerances .....	49
SD-3.7.4-1	Transfer Panel Jumpers .....	50
SD-3.8.1.1-1	Tapered Locking Tab Retainer — Recessed .....	52
SD-3.8.1.1-2	Tapered Locking Tab Retainer — External .....	53
SD-3.9.1-1	Dynamic Spray Device: Single Axis .....	54
SD-3.9.1-2	Two Axes Dynamic Spray Device .....	54
SD-3.9.2.1-1	Static Spray Device .....	56
SD-3.9.2.1-2	Flow Rate Guideline for Vertical Cylindrical Vessels .....	56
SD-3.9.2.1-3	Flow Rate Guideline for Horizontal Cylindrical Vessels .....	57
SD-3.9.2.3-1	Impact Pattern Build-Up .....	57
SD-3.12-1	Steam Traps for Clean Steam Systems .....	58
SD-4.1.2.1-1	Point-of-Use Piping .....	61
SD-4.1.2.2-1	Physical Break in Point-of-Use Piping .....	62
SD-4.2.2-1	Typical Clean Steam System Isometric .....	63
SD-4.2.2-2	Clean Steam Point-of-Use Design .....	64
SD-5.1.1.1-1	Fermentor Sterile Envelope .....	65
SD-5.1.1.1-2	Bioreactor Sterile Envelope .....	66
SD-5.1.1.2.3-1	Gas Sparging Assembly — Lance .....	68
SD-5.1.1.2.3-2	Gas Sparging Assembly — Sintered .....	69
SD-5.1.1.2.3-3	Gas Sparging Assembly — Ring .....	70
SD-5.1.1.2.3-4	Gas Sparging Assembly — Single Orifice .....	71
SD-5.1.1.3.1-1	Exhaust Gas Condenser .....	73
SD-5.1.1.3.1-2	Exhaust Gas Heater .....	73
SD-5.1.1.3.1-3	Electrically Heat Traced Filter Housing .....	74
SD-5.2.1.1-1	Tank/Vessel Vent Filters .....	77
SD-5.3.3.5.1-1	CIP Looped Header (Supply or Return) .....	82
SD-5.3.3.5.1-2	Zero-Static Chain .....	82
SD-5.3.3.5.1-3	Swing Elbow Arrangement .....	82
SD-5.4.1.2-1	Typical Lyophilizer Component Assembly .....	84
SD-5.4.1.3-1	Lyophilizer Sterile Boundary .....	87
DT-2-1	Clamp Conditions at Installation .....	94
MJ-8.4-1	Acceptable and Unacceptable Weld Profiles for Tube Welds .....	132
MJ-8.4-2	Discoloration Acceptance Criteria for Weld Heat-Affected Zones on Electropolished 316L Tubing .....	133
MJ-8.4-3	Discoloration Acceptance Criteria for Weld Heat-Affected Zones on Mechanically Polished 316L Tubing .....	134
MJ-8.4-4	Acceptable and Unacceptable Weld Bend Width and Meander .....	135
MJ-8.5-1	Acceptable Weld Profiles for Tube-Attachment Fillet Welds .....	138
MJ-9.7.1-1	Acceptable and Unacceptable Weld Profiles for Beadless Welds .....	139
SG-2.2.2-1	Hygienic Union per Table DT-7-1 .....	146
SG-2.2.2-2	Hygienic Clamp Union per Table DT-7-1 .....	146
SG-2.2.2-3	Hygienic Union per DIN 11864 .....	147
SG-2.2.2-4	Hygienic Clamp Union per DIN 11864 .....	147
SG-2.2.2-5	Nonhygienic Connections .....	148
SG-2.3.1.2-1	Weir Valves .....	149
SG-2.3.1.2-2	Radial Valves .....	150
SG-2.3.1.2-3	Weirless Diaphragm Valve .....	150
SG-2.3.1.2-4	Linear Control Valves .....	151

SG-2.3.1.2-5	Regulator Valve .....	151
SG-2.3.1.3-1	Ball Valves .....	152
SG-2.3.1.4-1	Rising Stem Single, Double Seat Mix Proof, and Needle Valves .....	152
SG-2.3.1.5-1	Butterfly Valve .....	153
SG-2.3.1.7-1	Back Pressure Control Valve .....	153
SG-2.3.1.8-1	Pinch Valve .....	153
SG-2.3.1.9-1	Pressure Relief and Check Valves .....	154
SG-2.3.1.10-1	Plug Valve .....	155
SG-2.3.2.2-1	Single Mechanical Seal .....	155
SG-2.3.2.2-2	Single Seal for Top Entry Agitator .....	156
SG-2.3.2.3-1	Dual Pressurized Mechanical Seal for Pumps .....	156
SG-2.3.2.3-2	Dual Pressurized Mechanical Seal for Top Entry Agitator .....	156
SG-2.3.2.3-3	Dual Unpressurized Mechanical Seal for Pumps .....	157
SG-2.3.2.4-1	Flush Plan 01 .....	157
SG-2.3.2.4-2	Flush Plan 02 .....	157
SG-2.3.2.4-3	Flush Plan 03 .....	157
SG-2.3.2.4-4	Flush Plan 11 .....	158
SG-2.3.2.4-5	Flush Plan 32 .....	158
SG-2.3.2.4-6	Flush Plan 52 for Pump .....	158
SG-2.3.2.4-7	Flush Plan 52 for Top Entry Agitator .....	158
SG-2.3.2.4-8	Flush Plan BPE52 for Pump .....	159
SG-2.3.2.4-9	Flush Plan 53 for Pump .....	159
SG-2.3.2.4-10	Flush Plan 53 for Top Entry Agitator .....	159
SG-2.3.2.4-11	Flush Plan 54 for Pump .....	159
SG-2.3.2.4-12	Flush Plan 54 for Top Entry Agitator .....	160
SG-2.3.2.4-13	Flush Plan 55 for Pump .....	160
SG-2.3.2.4-14	Flush Plan 55 for Top Entry Agitator .....	160
SG-2.3.2.4-15	Flush Plan 74 for Pump .....	160
SG-2.3.2.4-16	Flush Plan 74 for Top Entry Agitator .....	160
SG-3.3.2.2-1	Static O-Ring .....	163
SG-3.3.2.3-1	Seals for Rising Stem Valves .....	165
SG-4.2-1	Typical Hygienic Clamp Union: Allowable Gasket Intrusion .....	168
CR-1-1	ASME Certification Mark With BPE Designator .....	182
CR-2-1	Options for Certification of Organizations .....	183
PI-2.2.1-1	In-Line and At-Line Instrument Installation Examples .....	200
PI-2.2.2-1	Accepted Insertion Device Installation Examples .....	201
PI-4.1.3.2-1	Manifold or Flow Splitter for Dual Tube Construction Flowmeters and Potential for Product Holdup .....	202
PI-4.1.3.3-1	Concentrically Reducing Process Connection .....	203
PI-4.1.4.3-1	Vertical Installation .....	203
PI-4.1.4.4-1	Minimum Angle of Inclination, $\alpha$ .....	203
PI-5.1.2.1-1	Bulb, Horn, Isolated Horn, and Rod Style Antenna .....	205
PI-5.1.3.3-1	Dead Band, Measuring Range, and Mounting Location .....	206
PI-7.3-1	Typical Installation Styles .....	207
PI-7.3.4-1	Accepted Elbow Orientations and Flow Directions .....	208
PI-7.3.4-2	Accepted Nonintrusive Orientations and Flow Directions .....	208
PI-7.3.5-1	Sensor Insertion Lengths for Tee Installations .....	209
PI-7.3.5-2	Sensor Insertion Lengths for Elbow Installations .....	211
PI-8.1.2-1	Conductivity Type Examples .....	212
PI-8.1.3-1	Accepted Installations for Conductivity Sensors .....	213
PI-8.1.3.6-1	Installation Clearance Requirements .....	214
PI-8.2.2-1	pH Sensor Components .....	214
PI-8.2.3-1	Accepted pH Sensor Installations .....	216
PI-8.2.3.4-1	Accepted Mounting Orientations .....	217
PI-8.2.3.5-1	Insertion Length or Depth .....	218
PI-9.1.3.3-1	Vessel Light Glass Design and Mounting .....	220

PI-9.1.3.5-1	In-Line Insertion Length .....	221
PI-9.1.3.5-2	Insertion Probe Length .....	221
<b>Tables</b>		
GR-4.2-1	Inspector's Delegate Capabilities .....	3
SD-2.4.3.1-1	Slope Designations for Gravity-Drained Lines .....	18
SD-3.1.2.2-1	L/D Dimensions for Flow-Through Tee: Full-Size Standard Straight Tee With Blind Cap .....	22
SD-3.1.2.2-2	L/D Dimensions for Flow-Through Tee: Short Outlet Reducing Tee With Blind Cap .....	23
SD-3.4.2-1	Annular Spacing Recommendations for Hygienic Dip Tubes .....	34
SD-5.3.3.3-1	Flow Rates to Achieve 5 ft/sec (1.52 m/s) .....	80
DT-2-1	Hygienic Unions: Rated Internal Working Pressure .....	95
DT-3-1	Final Tolerances for Mechanically Polished Fittings and Process Components .....	96
DT-3-2	Final Tolerances for Electropolished Fittings and Process Components .....	97
DT-4-1	Nominal O.D. Tubing Sizes .....	97
DT-4.1-1	Tangent Lengths .....	97
DT-4.1.1-1	Automatic Tube Weld: 90-deg Elbow .....	98
DT-4.1.1-2	Automatic Tube Weld: Hygienic Clamp Joint, 90-deg Elbow .....	98
DT-4.1.1-3	Hygienic Clamp Joint: 90-deg Elbow .....	99
DT-4.1.1-4	Automatic Tube Weld: 45-deg Elbow .....	99
DT-4.1.1-5	Automatic Tube Weld: Hygienic Clamp Joint, 45-deg Elbow .....	100
DT-4.1.1-6	Hygienic Clamp Joint: 45-deg Elbow .....	100
DT-4.1.1-7	Automatic Tube Weld: 180-deg Return Bend .....	101
DT-4.1.1-8	Hygienic Clamp Joint: 180-deg Return Bend .....	101
DT-4.1.2-1	Automatic Tube Weld: Straight Tee and Cross .....	102
DT-4.1.2-2	Automatic Tube Weld: Short Outlet Hygienic Clamp Joint Tee .....	102
DT-4.1.2-3	Hygienic Mechanical Joint: Short Outlet Run Tee .....	103
DT-4.1.2-4	Hygienic Clamp Joint: Straight Tee and Cross .....	103
DT-4.1.2-5	Hygienic Clamp Joint: Short Outlet Tee .....	104
DT-4.1.2-6	Automatic Tube Weld: Reducing Tee .....	104
DT-4.1.2-7	Automatic Tube Weld: Short Outlet Hygienic Clamp, Joint Reducing Tee .....	105
DT-4.1.2-8	Hygienic Clamp Joint: Reducing Tee .....	106
DT-4.1.2-9	Hygienic Clamp Joint: Short Outlet Reducing Tee .....	107
DT-4.1.2-10	Automatic Tube Weld: Instrument Tee .....	107
DT-4.1.2-11	Hygienic Clamp Joint: Instrument Tee .....	107
DT-4.1.3-1	Automatic Tube Weld: Concentric and Eccentric Reducer .....	108
DT-4.1.3-2	Hygienic Clamp Joint: Tube Weld Concentric and Eccentric Reducer .....	109
DT-4.1.3-3	Hygienic Clamp Joint: Concentric and Eccentric Reducer .....	110
DT-4.1.4-1	Automatic Tube Weld: Ferrule .....	111
DT-4.1.5-1	Automatic Tube Weld: Cap .....	112
DT-4.1.5-2	Hygienic Clamp Joint: Solid End Cap .....	112
DT-4.4.1-1	Hygienic Clamp Joint: Weir Style Diaphragm Valve .....	113
DT-7-1	Hygienic Clamp Ferrule Standard Dimensions and Tolerances .....	114
DT-7-2	Transfer Panel and Jumper Tolerances .....	116
DT-9.3-1	Hygienic Clamp Ferrule: Design Criteria .....	117
MJ-6.3-1	Tube/Pipe Diameter Limits for Orbital GTAW Performance Qualification .....	120
MJ-6.3-2	Weld Thickness Limits for Orbital GTAW Performance Qualification .....	120
MJ-8.2-1	Visual Examination Acceptance Criteria for Welds on Pressure Vessels and Tanks .....	126
MJ-8.3-1	Visual Examination Acceptance Criteria for Welds on Pipe .....	128
MJ-8.4-1	Visual Examination Acceptance Criteria for Groove Welds on Tube-to-Tube Butt Joints .....	130
MJ-8.5-1	Visual Examination Acceptance Criteria for Tube-Attachment Welds .....	136



SF-2.2-1	Acceptance Criteria for Metallic Process Contact Surface Finishes .....	141
SF-2.2-2	Additional Acceptance Criteria for Electropolished Metallic Process Contact Surface Finishes .....	142
SF-2.4-1	R <sub>a</sub> Readings for Metallic Process Contact Surfaces .....	142
SF-2.6-1	Acceptance Criteria for Metallic Passivated Process Contact Surface Finishes .....	143
SF-3.3-1	Acceptance Criteria for Polymeric Process Contact Surface Finishes .....	144
SF-3.4-1	R <sub>a</sub> Readings for Polymeric Process Contact Surfaces .....	144
PM-2.1.1-1	Common Thermoplastic Polymers and Applications .....	171
PM-2.1.2-1	Common Thermoset Polymers and Applications .....	171
PM-2.1.3-1	Examples of Nonmetallics .....	172
PM-2.2.1-1	Content Required on the Certificate of Compliance .....	173
PM-4.2.1-1	Size Comparison of Common Thermoplastic Sizing Standards .....	177
MM-2.1-1	Wrought Stainless Steels: Nominal Compositions (wt. %) .....	188
MM-2.1-2	Wrought Nickel Alloys: Nominal Compositions (wt. %) .....	189
MM-2.1-3	Stainless Steel and Nickel Alloy Cast Designations .....	190
MM-2.1-4	Wrought Copper: Nominal Compositions (wt. %) (Cleaned for Oxygen Service) .....	190
MM-5.1.2-1	Filler Metals .....	194
MM-5.1.2-2	Consumable Inserts for Superaustenitic and Duplex Stainless Steels .....	196
MM-5.1.4-1	Predicted Ferrite Number (FN) Ranges for Various 316 Product Forms and Welds .....	196
MM-5.1.5-1	Materials for OEM Equipment .....	196
MM-5.2.5-1	Brazing Filler Metals for Copper .....	197
 <b>Mandatory Appendices</b>		
I	Submittal of Technical Inquiries to the Bioprocessing Equipment (BPE) Committee .....	223
II	Standard Units .....	225
 <b>Nonmandatory Appendices</b>		
A	Commentary: Slag .....	226
B	Material and Weld Examination/Inspection Documentation .....	227
C	Slope Measurement .....	231
D	Rouge and Stainless Steel .....	232
E	Passivation Procedure Qualification .....	241
F	Corrosion Testing .....	251
G	Ferrite .....	254
H	Electropolishing Procedure Qualification .....	255
I	Vendor Documentation Requirements for New Instruments .....	257
J	Standard Process Test Conditions (SPTC) for Seal Performance Evaluation .....	261
K	Standard Test Methods for Polymers .....	271
L	Spray Device Coverage Testing .....	274
M	Commentary: 316L Weld Heat-Affected Zone Discoloration Acceptance Criteria .....	276
N	Guidance When Choosing Polymeric and Nonmetallic Materials .....	277
O	General Background/Useful Information for Extractables and Leachables .....	278
P	Temperature Sensors and Associated Components .....	279
Q	Instrument Receiving, Handling, and Storage .....	281
R	Application Data Sheet .....	282
S	Polymer Applications: Chromatography Columns .....	285
T	Guidance for the Use of U.S. Customary and SI Units .....	286
<b>Index</b>	.....	289