

ASME PVHO-1–2012
(Revision of ASME PVHO-1–2007)

Safety Standard for Pressure Vessels for Human Occupancy

AN AMERICAN NATIONAL STANDARD



**The American Society of
Mechanical Engineers**

ASME PVHO-1-2012
(Revision of ASME PVHO-1-2007)

Safety Standard for Pressure Vessels for Human Occupancy

AN AMERICAN NATIONAL STANDARD



**The American Society of
Mechanical Engineers**

Three Park Avenue • New York, NY • 10016 USA

Date of Issuance: May 31, 2012

The next edition of this Standard is scheduled for publication in 2015.

ASME issues written replies to inquiries concerning interpretations of technical aspects of this Standard. Periodically certain actions of the ASME PVHO Committee may be published as Cases. Cases and interpretations are published on the ASME Web site under the Committee Pages at <http://cstools.asme.org/> as they are issued.

Errata to codes and standards may be posted on the ASME Web site under the Committee Pages to provide corrections to incorrectly published items, or to correct typographical or grammatical errors in codes and standards. Such errata shall be used on the date posted.

The Committee Pages can be found at <http://cstools.asme.org/>. There is an option available to automatically receive an e-mail notification when errata are posted to a particular code or standard. This option can be found on the appropriate Committee Page after selecting “Errata” in the “Publication Information” section.

ASME is the registered trademark of The American Society of Mechanical Engineers.

This code or standard was developed under procedures accredited as meeting the criteria for American National Standards. The Standards Committee that approved the code or standard was balanced to assure that individuals from competent and concerned interests have had an opportunity to participate. The proposed code or standard was made available for public review and comment that provides an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ASME does not “approve,” “rate,” or “endorse” any item, construction, proprietary device, or activity.

ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable letters patent, nor assumes any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representative(s) or person(s) affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility for only those interpretations of this document issued in accordance with the established ASME procedures and policies, which precludes the issuance of interpretations by individuals.

No part of this document may be reproduced in any form,
in an electronic retrieval system or otherwise,
without the prior written permission of the publisher.

The American Society of Mechanical Engineers
Three Park Avenue, New York, NY 10016-5990

Copyright © 2012 by
THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS
All rights reserved
Printed in U.S.A.

CONTENTS

Foreword	vii
Committee Roster	viii
Correspondence With the PVHO Committee	x
Summary of Changes	xii
Section 1 General Requirements	1
1-1 Introduction	1
1-2 Scope	1
1-3 Exclusions	1
1-4 User Requirements	1
1-5 Manufacturer’s Data Report	1
1-6 Materials	2
1-7 Design and Fabrication Requirements	2
1-8 Pressure Relief Devices	12
1-9 Marking	13
1-10 Nonmetallic Materials and Toxicity Offgas Testing	14
1-11 Risk Analysis	15
Section 2 Viewports	16
2-1 General	16
2-2 Design	16
2-3 Material	65
2-4 Fabrication	72
2-5 Inspection	74
2-6 Marking	75
2-7 Pressure Testing	76
2-8 Installation of Windows in Chambers	78
2-9 Repair of Damaged Windows Prior to Being Placed in Service	78
2-10 Guidelines for Application of the Requirements of Section 2	79
Section 3 Quality Assurance for PVHO Manufacturers	84
3-1 General	84
3-2 Responsibilities	84
Section 4 Piping Systems	85
4-1 General	85
4-2 Material Requirements	86
4-3 Design of Components	88
4-4 Selection and Limitations of Piping Components	88
4-5 Selection and Limitations of Piping Joints	89
4-6 Supports	90
4-7 Inspection	90
4-8 Testing	91
4-9 Systems	92
Section 5 Medical Hyperbaric Systems	98
5-1 General	98
5-2 PVHO System Design	98
5-3 Gas Systems	98
5-4 Control Systems and Instrumentation	99
5-5 Environmental Systems	99

Section 6	Diving Systems	100
6-1	General	100
6-2	Design	101
6-3	Pressure Boundary	103
6-4	Systems	104
6-5	Testing	105
Section 7	Submersibles	106
7-1	General	106
7-2	Pressure Boundary	107
7-3	Piping	108
7-4	Electrical Systems	108
7-5	Life Support	109
7-6	Fire Protection	110
7-7	Navigation	110
7-8	Communications	111
7-9	Instrumentation	111
7-10	Buoyancy, Stability, Emergency Ascent, and Entanglement	111
7-11	Emergency Equipment	112
Figures		
1-7.13.1-1	Geometry of Cylinders	7
1-7.13.1-2	Stiffener Geometry	8
1-7.13.1-3	Sections Through Rings	8
1-7.13.5-1	Values of t/R_o and L_c/R_o	13
1-9(b)-1	Form of Nameplate, U.S. Customary	14
1-9(b)-2	Form of Nameplate, Metric	14
2-2.2.1-1	Standard Window Geometries	18
2-2.2.1-2	Standard Window Geometries	19
2-2.2.1-3	Standard Window Geometries	20
2-2.2.1-4	Standard Window Geometries	21
2-2.5.1-1	Short-Term Critical Pressure of Flat Disk Acrylic Windows	26
2-2.5.1-2	Short-Term Critical Pressure of Flat Disk Acrylic Windows	27
2-2.5.1-3	Short-Term Critical Pressure of Flat Disk Acrylic Windows	28
2-2.5.1-4	Short-Term Critical Pressure of Conical Frustum Acrylic Windows	29
2-2.5.1-5	Short-Term Critical Pressure of Conical Frustum Acrylic Windows	30
2-2.5.1-6	Short-Term Critical Pressure of Spherical Sector Acrylic Windows	31
2-2.5.1-7	Short-Term Critical Pressure of Spherical Sector Acrylic Windows	32
2-2.5.1-8	Short-Term Critical Pressure of Cylindrical Acrylic Windows Pressurized Internally	33
2-2.5.1-9	Short-Term Critical Pressure of Cylindrical Acrylic Windows Pressurized Internally	34
2-2.5.1-10	Short-Term Critical Pressure of Cylindrical Acrylic Windows Pressurized Externally	35
2-2.5.1-11	Short-Term Elastic Buckling of Cylindrical Acrylic Windows Between Supports Under External Hydrostatic Pressure	36
2-2.5.1-12	Short-Term Elastic Buckling of Cylindrical Acrylic Windows Between Supports Under External Hydrostatic Pressure	37
2-2.5.1-13	Short-Term Elastic Buckling of Cylindrical Acrylic Windows Between Supports Under External Hydrostatic Pressure	38
2-2.5.1-14	Short-Term Critical Pressure of Hyperhemispherical and NEMO Type Acrylic Windows	40
2-2.5.1-15	Short-Term Critical Pressure of Hyperhemispherical and NEMO Type Acrylic Windows	41
2-2.10.1-1	Seat Cavity Requirements — Conical Frustum Window, Spherical Sector Window With Conical Edge, and Flat Disk Window	45
2-2.10.1-2	Seat Cavity Requirements — Double Beveled Disk Window	46

2-2.10.1-3	Seat Cavity Requirements — Spherical Sector Window With Square Edge	47
2-2.10.1-4	Seat Cavity Requirements — Hemispherical Window With Equatorial Flange	48
2-2.10.1-5	Seat Cavity Requirements — Cylindrical Window	49
2-2.10.1-6	Seat Cavity Requirements — Hyperhemispherical Window	50
2-2.10.1-7	Seat Cavity Requirements — NEMO Window (Standard Seat)	51
2-2.10.1-8	Seat Cavity Requirements — NEMO Window (Seat With Extended Cyclic Fatigue Life)	52
2-2.11.10-1	Bevels on Window Edges — Flat Disk Windows, Conical Frustum Windows, Spherical Sector Windows, Hyperhemispheres	54
2-2.11.10-2	Bevels on Window Edges — Flanged Hemispherical Window, Spherical Sector Window With Square Edge, External Pressure and Internal Pressure of Cylindrical Windows	55
2-2.14.11-1	Dimensional Tolerances for Penetrations in Acrylic Windows	59
2-2.14.15-1	Dimensional Tolerances for Inserts in Acrylic Windows	62
2-2.14.16-1	Typical Shapes of Inserts	63
2-2.14.22-1	Seal Configurations for Inserts in Acrylic Windows	64
2-2.14.24-1	Restraints for Inserts in Acrylic Windows	66
4-9.14.2-1	Flow Diagram of Apparatus for Measuring the Concentration of Hydrocarbons in a Stream of Air or Other Gas After It Has Passed Through a Test Hose	97
Tables		
1-10-1	Conversion Factor, <i>F_p</i> (For PVHO Occupation Exceeding 8 hr)	15
2-2.3.1-1	Conversion Factors for Acrylic Flat Disk Windows	22
2-2.3.1-2	Conversion Factors for Acrylic Conical Frustum Windows and Double Beveled Disk Windows	23
2-2.3.1-3	Conversion Factors for Acrylic Spherical Sector Windows With Conical Edge, Hyperhemispherical Windows With Conical Edge, and NEMO Type Windows With Conical Edge	23
2-2.3.1-4	Conversion Factors for Acrylic Spherical Sector Windows With Square Edge and Hemispherical Windows With Equatorial Flange	24
2-2.3.1-5	Conversion Factors for Acrylic Cylindrical Windows	24
2-2.3.2-1	Conical Frustum Windows for Design Pressures in Excess of 10,000 psi (69 MPa)	25
2-2.14.13-1	Specified Values of Physical Properties for Polycarbonate Plastic	61
2-2.14.13-2	Specified Values of Physical Properties for Cast Nylon Plastic	61
2-3.4-1	Specified Values of Physical Properties for Each Lot	67
2-3.4-2	Specified Values of Physical Properties for Each Casting	69
2-4.5-1	Annealing Schedule for Acrylic Windows	73
4-2.1.1-1	Maximum Allowable Stress Values for Seamless Pipe and Tube Materials Not Listed in Nonmandatory Appendix A of ASME B31.1	86
4-7.1-1	Mandatory Minimum Nondestructive Examinations for Pressure Welds in Piping Systems for Pressure Vessels for Human Occupancy	91
4-9.14.2-1	Maximum Allowable Concentration of Hydrocarbons in Air Passing Through Hose	97
Forms		
GR-1	Manufacturer's Data Report for Pressure Vessels for Human Occupancy	4
GR-1S	Manufacturer's Data Report Supplementary Sheet	5
VP-1	Fabrication Certification for Acrylic Windows	17
VP-2	Acrylic Window Design Certification	58
VP-3	Material Manufacturer's Certification for Acrylic	68
VP-4	Material Testing Certification for Acrylic	70
VP-5	Pressure Testing Certification	77
VP-6	Acrylic Window Repair Certification	80

Mandatory Appendices		
I	Reference Codes, Standards, and Specifications	113
II	Definitions	115
Nonmandatory Appendices		
A	Design of Supports and Lifting Attachments	120
B	Recommendations for the Design of Through-Pressure Boundary Penetrations	121
C	Recommended Practices for Color Coding and Labeling	124
D	Guidelines for the Submission of a PVHO Case for the Use of Nonstandard Designs, Materials, and Construction	125
E	Useful References	131