


ASME B31.1-2012
(Revision of ASME B31.1-2010)

Power Piping

ASME Code for Pressure Piping, B31

AN AMERICAN NATIONAL STANDARD



ASME B31.1-2012
(Revision of ASME B31.1-2010)

Power Piping

ASME Code for Pressure Piping, B31

AN AMERICAN NATIONAL STANDARD



**The American Society of
Mechanical Engineers**

Three Park Avenue • New York, NY • 10016 USA

Date of Issuance: June 29, 2012

The next edition of this Code is scheduled for publication in 2014. This Code will become effective 6 months after the Date of Issuance.

ASME issues written replies to inquiries concerning interpretations of technical aspects of this Code. Interpretations, Code Cases, and errata are published on the ASME Web site under the Committee Pages at <http://cstools.asme.org/> as they are issued. Interpretations and Code Cases are also included with each edition.

Errata to codes and standards may be posted on the ASME Web site under the Committee Pages to provide corrections to incorrectly published items, or to correct typographical or grammatical errors in codes and standards. Such errata shall be used on the date posted.

The Committee Pages can be found at <http://cstools.asme.org/>. There is an option available to automatically receive an e-mail notification when errata are posted to a particular code or standard. This option can be found on the appropriate Committee Page after selecting “Errata” in the “Publication Information” section.

ASME is the registered trademark of The American Society of Mechanical Engineers.

This code or standard was developed under procedures accredited as meeting the criteria for American National Standards. The Standards Committee that approved the code or standard was balanced to assure that individuals from competent and concerned interests have had an opportunity to participate. The proposed code or standard was made available for public review and comment that provides an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ASME does not “approve,” “rate,” or “endorse” any item, construction, proprietary device, or activity.

ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable letters patent, nor assume any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representative(s) or person(s) affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility for only those interpretations of this document issued in accordance with the established ASME procedures and policies, which precludes the issuance of interpretations by individuals.

No part of this document may be reproduced in any form,
in an electronic retrieval system or otherwise,
without the prior written permission of the publisher.

The American Society of Mechanical Engineers
Three Park Avenue, New York, NY 10016-5990

Copyright © 2012 by
THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS
All rights reserved
Printed in U.S.A.

CONTENTS

| | | |
|--------------------------|---|----|
| Foreword | vii | |
| Committee Roster | viii | |
| Introduction | xii | |
| Summary of Changes | xiv | |
| Chapter I | Scope and Definitions | 1 |
| 100 | General | 1 |
| Chapter II | Design | 12 |
| Part 1 | Conditions and Criteria | 12 |
| 101 | Design Conditions | 12 |
| 102 | Design Criteria | 13 |
| Part 2 | Pressure Design of Piping Components | 19 |
| 103 | Criteria for Pressure Design of Piping Components | 19 |
| 104 | Pressure Design of Components | 19 |
| Part 3 | Selection and Limitations of Piping Components | 34 |
| 105 | Pipe | 34 |
| 106 | Fittings, Bends, and Intersections | 34 |
| 107 | Valves | 35 |
| 108 | Pipe Flanges, Blanks, Flange Facings, Gaskets, and Bolting | 36 |
| Part 4 | Selection and Limitations of Piping Joints | 37 |
| 110 | Piping Joints | 37 |
| 111 | Welded Joints | 37 |
| 112 | Flanged Joints | 38 |
| 113 | Expanded or Rolled Joints | 38 |
| 114 | Threaded Joints | 38 |
| 115 | Flared, Flareless, and Compression Joints, and Unions | 43 |
| 116 | Bell End Joints | 43 |
| 117 | Brazed and Soldered Joints | 43 |
| 118 | Sleeve Coupled and Other Proprietary Joints | 44 |
| Part 5 | Expansion, Flexibility, and Pipe Supporting Element | 44 |
| 119 | Expansion and Flexibility | 44 |
| 120 | Loads on Pipe Supporting Elements | 46 |
| 121 | Design of Pipe Supporting Elements | 47 |
| Part 6 | Systems | 51 |
| 122 | Design Requirements Pertaining to Specific Piping Systems | 51 |
| Chapter III | Materials | 66 |
| 123 | General Requirements | 66 |
| 124 | Limitations on Materials | 67 |
| 125 | Materials Applied to Miscellaneous Parts | 69 |
| Chapter IV | Dimensional Requirements | 70 |
| 126 | Material Specifications and Standards for Standard and Nonstandard Piping Components | 70 |
| Chapter V | Fabrication, Assembly, and Erection | 78 |
| 127 | Welding | 78 |
| 128 | Brazing and Soldering | 89 |
| 129 | Bending and Forming | 90 |
| 130 | Requirements for Fabricating and Attaching Pipe Supports | 93 |
| 131 | Welding Preheat | 93 |

| | | |
|--------------------|--|------------|
| 132 | Postweld Heat Treatment | 94 |
| 133 | Stamping | 101 |
| 135 | Assembly | 101 |
| Chapter VI | Inspection, Examination, and Testing | 103 |
| 136 | Inspection and Examination | 103 |
| 137 | Pressure Tests | 107 |
| Chapter VII | Operation and Maintenance | 110 |
| 138 | General | 110 |
| 139 | Operation and Maintenance Procedures | 110 |
| 140 | Condition Assessment of CPS | 110 |
| 141 | CPS Records | 111 |
| 144 | CPS Walkdowns | 111 |
| 145 | Material Degradation Mechanisms | 111 |
| Figures | | |
| 100.1.2(A.1) | Code Jurisdictional Limits for Piping — An Example of Forced Flow Steam Generators With No Fixed Steam and Water Line | 2 |
| 100.1.2(A.2) | Code Jurisdictional Limits for Piping — An Example of Steam Separator Type Forced Flow Steam Generators With No Fixed Steam and Water Line | 3 |
| 100.1.2(B) | Code Jurisdictional Limits for Piping — Drum-Type Boilers | 4 |
| 100.1.2(C) | Code Jurisdictional Limits for Piping — Spray-Type Desuperheater | 5 |
| 102.4.5 | Nomenclature for Pipe Bends | 17 |
| 104.3.1(D) | Reinforcement of Branch Connections | 24 |
| 104.3.1(G) | Reinforced Extruded Outlets | 28 |
| 104.5.3 | Types of Permanent Blanks | 31 |
| 104.8.4 | Cross Section Resultant Moment Loading | 33 |
| 122.1.7(C) | Typical Globe Valves | 55 |
| 122.4 | Desuperheater Schematic Arrangement | 59 |
| 127.3 | Butt Welding of Piping Components With Internal Misalignment | 79 |
| 127.4.2 | Welding End Transition — Maximum Envelope | 80 |
| 127.4.4(A) | Fillet Weld Size | 83 |
| 127.4.4(B) | Welding Details for Slip-On and Socket-Welding Flanges; Some Acceptable Types of Flange Attachment Welds | 84 |
| 127.4.4(C) | Minimum Welding Dimensions Required for Socket Welding Components Other Than Flanges | 84 |
| 127.4.8(A) | Typical Welded Branch Connection Without Additional Reinforcement | 84 |
| 127.4.8(B) | Typical Welded Branch Connection With Additional Reinforcement | 84 |
| 127.4.8(C) | Typical Welded Angular Branch Connection Without Additional Reinforcement | 84 |
| 127.4.8(D) | Some Acceptable Types of Welded Branch Attachment Details Showing Minimum Acceptable Welds | 85 |
| 127.4.8(E) | Some Acceptable Details for Integrally Reinforced Outlet Fittings | 86 |
| 127.4.8(F) | Typical Full Penetration Weld Branch Connections for NPS 3 and Smaller Half Couplings or Adapters | 87 |
| 127.4.8(G) | Typical Partial Penetration Weld Branch Connection for NPS 2 and Smaller Fittings | 88 |
| 135.5.3 | Typical Threaded Joints Using Straight Threads | 102 |
| Tables | | |
| 102.4.3 | Longitudinal Weld Joint Efficiency Factors | 16 |
| 102.4.5 | Bend Thinning Allowance | 17 |
| 102.4.6(B.1.1) | Maximum Severity Level for Casting Thickness 4½ in. (114 mm) or Less | 18 |
| 102.4.6(B.2.2) | Maximum Severity Level for Casting Thickness Greater Than 4½ in. (114 mm) | 18 |

| | | |
|--------------------------------|--|-----|
| 102.4.7 | Weld Strength Reduction Factors to Be Applied When Calculating the Minimum Wall Thickness or Allowable Design Pressure of Components Fabricated With a Longitudinal Seam Fusion Weld | 20 |
| 104.1.2(A) | Values of y | 22 |
| 112 | Piping Flange Bolting, Facing, and Gasket Requirements | 39 |
| 114.2.1 | Threaded Joints Limitations | 43 |
| 121.5 | Suggested Pipe Support Spacing | 48 |
| 121.7.2(A) | Carrying Capacity of Threaded ASTM A36, A575, and A576 Hot-Rolled Carbon Steel | 50 |
| 122.2 | Design Pressure for Blowoff/Blowdown Piping Downstream of BEP Valves | 56 |
| 122.8.2(B) | Minimum Wall Thickness Requirements for Toxic Fluid Piping | 63 |
| 126.1 | Specifications and Standards | 71 |
| 127.4.2 | Reinforcement of Girth and Longitudinal Butt Welds | 82 |
| 129.3.1 | Approximate Lower Critical Temperatures | 91 |
| 129.3.4.1 | Post Cold-Forming Strain Limits and Heat-Treatment Requirements | 92 |
| 132 | Postweld Heat Treatment | 95 |
| 132.1 | Alternate Postweld Heat Treatment Requirements for Carbon and Low Alloy Steels | 100 |
| 136.4 | Mandatory Minimum Nondestructive Examinations for Pressure Welds or Welds to Pressure-Retaining Components | 105 |
| 136.4.1 | Weld Imperfections Indicated by Various Types of Examination | 106 |
| Mandatory Appendices | | |
| A | Allowable Stress Tables | 113 |
| | Table A-1, Carbon Steel | 114 |
| | Table A-2, Low and Intermediate Alloy Steel | 126 |
| | Table A-3, Stainless Steels | 136 |
| | Table A-4, Nickel and High Nickel Alloys | 166 |
| | Table A-5, Cast Iron | 180 |
| | Table A-6, Copper and Copper Alloys | 182 |
| | Table A-7, Aluminum and Aluminum Alloys | 186 |
| | Table A-8, Temperatures 1,200°F and Above | 194 |
| | Table A-9, Titanium and Titanium Alloys | 200 |
| | Table A-10, Bolts, Nuts, and Studs | 204 |
| B | Thermal Expansion Data | 209 |
| | Table B-1, Thermal Expansion Data | 210 |
| | Table B-1 (SI), Thermal Expansion Data | 214 |
| C | Moduli of Elasticity | 218 |
| | Table C-1, Moduli of Elasticity for Ferrous Material | 218 |
| | Table C-1 (SI), Moduli of Elasticity for Ferrous Material | 219 |
| | Table C-2, Moduli of Elasticity for Nonferrous Material | 220 |
| | Table C-2 (SI), Moduli of Elasticity for Nonferrous Material | 222 |
| D | Flexibility and Stress Intensification Factors | 224 |
| | Table D-1, Flexibility and Stress Intensification Factors | 224 |
| | Chart D-1, Flexibility Factor, k , and Stress Intensification Factor, i | 228 |
| | Chart D-2, Correction Factor, c | 229 |
| | Fig. D-1, Branch Connection Dimensions | 230 |
| F | Referenced Standards | 231 |
| G | Nomenclature | 235 |
| H | Preparation of Technical Inquiries | 242 |
| J | Quality Control Requirements for Boiler External Piping (BEP) | 243 |
| Nonmandatory Appendices | | |
| II | Rules for the Design of Safety Valve Installations | 245 |
| III | Rules for Nonmetallic Piping and Piping Lined With Nonmetals | 265 |
| IV | Corrosion Control for ASME B31.1 Power Piping Systems | 286 |

| | | |
|--------------|--|-----|
| V | Recommended Practice for Operation, Maintenance, and Modification of Power Piping Systems | 290 |
| VI | Approval of New Materials | 303 |
| VII | Procedures for the Design of Restrained Underground Piping | 304 |
| Index | | 315 |